

Accepted Manuscript

Extracorporeal shock wave lithotripsy (ESWL) monotherapy in children: predictors of successful outcome

G.A. Alsagheer, M.S. Abdel-Kader, A.M. Hasan, O. Mahmoud, O. Mohamed, A. Fathi, M. Abass, A. Abolyosr



PII: S1477-5131(17)30171-7

DOI: [10.1016/j.jpurol.2017.03.029](https://doi.org/10.1016/j.jpurol.2017.03.029)

Reference: JPUROL 2520

To appear in: *Journal of Pediatric Urology*

Received Date: 10 January 2017

Accepted Date: 23 March 2017

Please cite this article as: Alsagheer GA, Abdel-Kader MS, Hasan AM, Mahmoud O, Mohamed O, Fathi A, Abass M, Abolyosr A, Extracorporeal shock wave lithotripsy (ESWL) monotherapy in children: predictors of successful outcome, *Journal of Pediatric Urology* (2017), doi: 10.1016/j.jpurol.2017.03.029.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Extracorporeal shock wave lithotripsy (ESWL) monotherapy in children: predictors of successful outcome

G. A. Alsagheer ^a, M. S. Abdel-Kader ^a, A. M. Hasan ^a, O. Mahmoud ^{a,*}, O. Mohamed ^a, A. Fathi ^a, M. Abass ^a, A. Abolyosr ^a

^aUrology Department, Qena Faculty of Medicine, South Valley University, Egypt

*Corresponding author. Urology Department, Qena Faculty of Medicine, South Valley University, Egypt, 83523, Egypt. Fax: +20 965337571.

E-mail address: osama.mahmoud@med.svu.edu.eg

Download English Version:

<https://daneshyari.com/en/article/8811983>

Download Persian Version:

<https://daneshyari.com/article/8811983>

[Daneshyari.com](https://daneshyari.com)