Accepted Manuscript



Hypoactivation and dysconnectivity of a frontostriatal circuit during goal-directed planning as an endophenotype for Obsessive-Compulsive Disorder

Matilde M. Vaghi, Adam Hampshire, Naomi A. Fineberg, Muzaffer Kaser, Annette B. Brühl, Barbara J. Sahakian, Samuel R. Chamberlain, Trevor W. Robbins

PII: S2451-9022(17)30111-8

DOI: 10.1016/j.bpsc.2017.05.005

Reference: BPSC 162

To appear in: *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*

Received Date: 22 February 2017

Revised Date: 30 May 2017

Accepted Date: 30 May 2017

Please cite this article as: Vaghi M.M., Hampshire A., Fineberg N.A., Kaser M., Brühl A.B., Sahakian B.J., Chamberlain S.R. & Robbins T.W., Hypoactivation and dysconnectivity of a frontostriatal circuit during goal-directed planning as an endophenotype for Obsessive-Compulsive Disorder, *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging* (2017), doi: 10.1016/j.bpsc.2017.05.005.

Hypoactivation and dysconnectivity of a frontostriatal circuit during goal-directed planning as an endophenotype for Obsessive-Compulsive Disorder

Matilde M. Vaghi [1,2], Adam Hampshire [3], Naomi A. Fineberg [4], Muzaffer Kaser [5], Annette B. Brühl [1,5,6], Barbara J. Sahakian [1,5], Samuel R. Chamberlain [1,5,7], Trevor W. Robbins [1,2]

[1]Behavioural and Clinical Neuroscience Institute (BCNI), University of Cambridge, Cambridge, UK; [2]Department of Psychology, University of Cambridge, UK; [3]Cognitive Computational and Clinical Neurosciences Laboratory, Imperial College London, UK; [4]National Treatment Service for OCD (England and Wales), Hertfordshire, UK; [5]Department of Psychiatry, University of Cambridge, UK; [6]Department of Psychiatry, Psychotherapy and Psychosomatics, University Hospital of Psychiatry, Zurich, Switzerland; [7]Cambridge and Peterborough NHS Foundation Trust (CPFT), UK

Address correspondence to Matilde M. Vaghi, Department of Psychology, Downing Site, Cambridge, CB2 3EB, United Kingdom; mmsv2@cam.ac.uk (e-mail).

Abstract: 198
Text: 3999
Figures: 3
Tables: 2
References: 49
Supplemental information: 1

Key words: Obsessive Compulsive Disorder; endophenotype; connectivity; fronto-striatal circuits; goal-directed; planning

Running title: Frontostriatal alterations as an endophenotype for OCD