Accepted Manuscript

Medical and Non-Medical Marijuana Use in Depression: Longitudinal Associations with Suicidal Ideation, Everyday Functioning, and Psychiatry Service Utilization

Amber L. Bahorik, Stacy A. Sterling, Cynthia I. Campbell, Constance Weisner, Danielle Ramo, Derek D. Satre


PII: S0165-0327(17)32547-8 DOI: 10.1016/j.jad.2018.05.065

Reference: JAD 9841

To appear in: Journal of Affective Disorders

Received date: 9 December 2017

Revised date: 7 May 2018 Accepted date: 28 May 2018



Please cite this article as: Amber L. Bahorik, Stacy A. Sterling, Cynthia I. Campbell, Constance Weisner, Danielle Ramo, Derek D. Satre, Medical and Non-Medical Marijuana Use in Depression: Longitudinal Associations with Suicidal Ideation, Everyday Functioning, and Psychiatry Service Utilization, *Journal of Affective Disorders* (2018), doi: 10.1016/j.jad.2018.05.065

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Psychiatry outpatients in substance use treatment for depression were studied.
- Medical marijuana use at baseline was associated with worse functioning scores.
- Non-medical use at baseline was associated with high symptoms and worse functioning.
- Non-medical use over time was associated with less clinical outcome improvement.
- Addressing marijuana-related barriers in depression could help improve outcomes.



Download English Version:

https://daneshyari.com/en/article/8814929

Download Persian Version:

https://daneshyari.com/article/8814929

<u>Daneshyari.com</u>