Accepted Manuscript

The association between gestational diabetes mellitus and postpartum depressive symptomatology: a prospective cohort study

Aleksi Ruohomäki, Elena Toffol, Subina Upadhyaya, Leea Keski-Nisula, Juha Pekkanen, Jussi Lampi, Sari Voutilainen, Tomi-Pekka Tuomainen, Seppo Heinonen, Kirsti Kumpulainen, Markku Pasanen, Soili M. Lehto


PII: S0165-0327(18)30548-2

DOI: https://doi.org/10.1016/j.jad.2018.08.070

Reference: JAD 10068

To appear in: Journal of Affective Disorders

Received date: 26 March 2018 Revised date: 25 June 2018 Accepted date: 12 August 2018



Please cite this article as: Aleksi Ruohomäki, Elena Toffol, Subina Upadhyaya, Leea Keski-Nisula, Juha Pekkanen, Jussi Lampi, Sari Voutilainen, Tomi-Pekka Tuomainen, Seppo Heinonen, Kirsti Kumpulainen, Markku Pasanen, Soili M. Lehto, The association between gestational diabetes mellitus and postpartum depressive symptomatology: a prospective cohort study, *Journal of Affective Disorders* (2018), doi: https://doi.org/10.1016/j.jad.2018.08.070

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Gestational diabetes associated with an increased risk of postpartum depression
- Third-trimester depression did not mediate the above association
- First-trimester depression and gestational diabetes were not associated



Download English Version:

https://daneshyari.com/en/article/8814983

Download Persian Version:

https://daneshyari.com/article/8814983

<u>Daneshyari.com</u>