

Accepted Manuscript

Gender-related patterns of psychiatric disorder clustering among bariatric surgery candidates: a latent class analysis

Leorides Severo Duarte-Guerra , Bruno Mendonça Coêlho ,
Marco Aurélio Santo , Francisco Lotufo Neto , Yuan-Pang Wang

PII: S0165-0327(18)30615-3
DOI: [10.1016/j.jad.2018.07.036](https://doi.org/10.1016/j.jad.2018.07.036)
Reference: JAD 9946



To appear in: *Journal of Affective Disorders*

Received date: 24 March 2018
Revised date: 31 May 2018
Accepted date: 14 July 2018

Please cite this article as: Leorides Severo Duarte-Guerra , Bruno Mendonça Coêlho , Marco Aurélio Santo , Francisco Lotufo Neto , Yuan-Pang Wang , Gender-related patterns of psychiatric disorder clustering among bariatric surgery candidates: a latent class analysis, *Journal of Affective Disorders* (2018), doi: [10.1016/j.jad.2018.07.036](https://doi.org/10.1016/j.jad.2018.07.036)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights:

- Frequency of psychopathologies are different in men and women with severe obesity
- Most patients seeking bariatric surgery present concurrent psychiatric disorders
- The profiles were: oligosymptomatic, bipolar comorbidities, and anxiety/depression
- Clustering of psychiatric disorders may suggest different therapeutics and outcomes

Download English Version:

<https://daneshyari.com/en/article/8814990>

Download Persian Version:

<https://daneshyari.com/article/8814990>

[Daneshyari.com](https://daneshyari.com)