


Accepted Manuscript

Psychosocial Profiles of Adolescents from Dissolved Families:
Differences in Depressive Symptoms in Emerging Adulthood

Laura Di Manno DPsych (Clinical) , Jacqui A. Macdonald PhD ,
George J. Youssef PhD , Keriann Little PhD , Craig A. Olsson PhD

PII: S0165-0327(18)30745-6
DOI: <https://doi.org/10.1016/j.jad.2018.07.087>
Reference: JAD 9997



To appear in: *Journal of Affective Disorders*

Received date: 7 April 2018
Revised date: 12 July 2018
Accepted date: 31 July 2018

Please cite this article as: Laura Di Manno DPsych (Clinical) , Jacqui A. Macdonald PhD , George J. Youssef PhD , Keriann Little PhD , Craig A. Olsson PhD , Psychosocial Profiles of Adolescents from Dissolved Families: Differences in Depressive Symptoms in Emerging Adulthood, *Journal of Affective Disorders* (2018), doi: <https://doi.org/10.1016/j.jad.2018.07.087>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights:

- Adolescents from dissolved families clustered into three classes.
- Most adolescents from dissolved families were found to be well-adjusted.
- Two classes were at increased risk for depression or antisocial behaviour.
- Factors differentiating classes included temperament and parenting practices.

Download English Version:

<https://daneshyari.com/en/article/8815000>

Download Persian Version:

<https://daneshyari.com/article/8815000>

[Daneshyari.com](https://daneshyari.com)