


Accepted Manuscript

Duration of euthymia and predominant polarity in bipolar disorder

Sonia LL. Vidal-Rubio , Vicent Balanzá-Martínez ,
María Cuenca Torres , Joan Vila-Francés , Eduard Vieta ,
José E. Romeu Climent

PII: S0165-0327(18)30597-4
DOI: <https://doi.org/10.1016/j.jad.2018.08.001>
Reference: JAD 9998



To appear in: *Journal of Affective Disorders*

Received date: 23 March 2018
Revised date: 23 May 2018
Accepted date: 1 August 2018

Please cite this article as: Sonia LL. Vidal-Rubio , Vicent Balanzá-Martínez , María Cuenca Torres , Joan Vila-Francés , Eduard Vieta , José E. Romeu Climent , Duration of euthymia and predominant polarity in bipolar disorder , *Journal of Affective Disorders* (2018), doi: <https://doi.org/10.1016/j.jad.2018.08.001>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

HIGHLIGHTS

- Predominant polarity seems to be a valid course specifier for bipolar disorder.
- Patients with a manic predominant polarity had a longer duration of euthymia.
- Seasonal pattern is another course indicator associated with depressive predominant polarity.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/8815007>

Download Persian Version:

<https://daneshyari.com/article/8815007>

[Daneshyari.com](https://daneshyari.com)