

Accepted Manuscript

Sensory profiles in unipolar and bipolar affective disorders: possible predictors of response to antidepressant medications? A prospective follow-up study

Batya Engel-Yeger , Boaz Bloch , Xenia Gonda ,
Giovanna Canepa , Maurizio Pompili , Leo Sher , Zoltan Rihmer ,
Mario Amore , Gianluca Serafini

PII: S0165-0327(17)31831-1
DOI: [10.1016/j.jad.2018.07.032](https://doi.org/10.1016/j.jad.2018.07.032)
Reference: JAD 9942



To appear in: *Journal of Affective Disorders*

Received date: 1 September 2017
Revised date: 30 May 2018
Accepted date: 14 July 2018

Please cite this article as: Batya Engel-Yeger , Boaz Bloch , Xenia Gonda , Giovanna Canepa , Maurizio Pompili , Leo Sher , Zoltan Rihmer , Mario Amore , Gianluca Serafini , Sensory profiles in unipolar and bipolar affective disorders: possible predictors of response to antidepressant medications? A prospective follow-up study, *Journal of Affective Disorders* (2018), doi: [10.1016/j.jad.2018.07.032](https://doi.org/10.1016/j.jad.2018.07.032)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Sensory processing patterns may play a fundamental role in the pathophysiology of major affective disorders
- Depression, hopelessness, and alexithymia were predicted by antidepressants use at baseline and follow-up
- Specific treatment interventions may be provided through the clinical assessment of sensory profiles

Download English Version:

<https://daneshyari.com/en/article/8815065>

Download Persian Version:

<https://daneshyari.com/article/8815065>

[Daneshyari.com](https://daneshyari.com)