

Accepted Manuscript

Cohort study of the relationship between individual psychotherapy and pregnancy outcomes

Leslie A. Snapper BS , Kamber L. Hart AB ,
Kartik K. Venkatesh MD, PhD , Anjali J. Kaimal MD, MAS ,
Roy H. Perlis MD, MSc

PII: S0165-0327(17)31171-0
DOI: [10.1016/j.jad.2018.05.083](https://doi.org/10.1016/j.jad.2018.05.083)
Reference: JAD 9920



To appear in: *Journal of Affective Disorders*

Received date: 16 June 2017
Revised date: 18 April 2018
Accepted date: 21 May 2018

Please cite this article as: Leslie A. Snapper BS , Kamber L. Hart AB ,
Kartik K. Venkatesh MD, PhD , Anjali J. Kaimal MD, MAS , Roy H. Perlis MD, MSc , Cohort study
of the relationship between individual psychotherapy and pregnancy outcomes, *Journal of Affective
Disorders* (2018), doi: [10.1016/j.jad.2018.05.083](https://doi.org/10.1016/j.jad.2018.05.083)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- At least one psychotherapy visit was associated with poor obstetric outcomes.
- Increased psychotherapy was likewise associated with worse obstetric outcomes.
- Confounding by indication is a caveat in interpreting nonrandomized outcome studies.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/8815110>

Download Persian Version:

<https://daneshyari.com/article/8815110>

[Daneshyari.com](https://daneshyari.com)