

Accepted Manuscript

Threatened Miscarriage and Depressive and Anxiety Symptoms
among Women and Partners in Early Pregnancy

Cindy Shiqi Zhu , Tan Thiam Chye , Helen Yu Chen ,
Rahul Malhotra , John Carson Allen , Truls Østbye

PII: S0165-0327(17)32255-3
DOI: [10.1016/j.jad.2018.04.012](https://doi.org/10.1016/j.jad.2018.04.012)
Reference: JAD 9666



To appear in: *Journal of Affective Disorders*

Received date: 28 November 2017
Revised date: 23 February 2018
Accepted date: 2 April 2018

Please cite this article as: Cindy Shiqi Zhu , Tan Thiam Chye , Helen Yu Chen , Rahul Malhotra , John Carson Allen , Truls Østbye , Threatened Miscarriage and Depressive and Anxiety Symptoms among Women and Partners in Early Pregnancy, *Journal of Affective Disorders* (2018), doi: [10.1016/j.jad.2018.04.012](https://doi.org/10.1016/j.jad.2018.04.012)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Depressive and anxiety symptoms affect 1 in 4 women in their first trimester
- Depressive symptoms are 2.7 times more likely in women facing threatened miscarriage
- 48.8% of women facing threatened miscarriage are at high risk for clinical anxiety
- Among partners of first trimester women, 10% are at risk for depressive illness
- Partners' depression scores are not significantly affected by threatened miscarriage

Download English Version:

<https://daneshyari.com/en/article/8815137>

Download Persian Version:

<https://daneshyari.com/article/8815137>

[Daneshyari.com](https://daneshyari.com)