## Accepted Manuscript

Meta-Analysis: Second Generation Antidepressants and Headache

Shilpa Telang, Celeste Walton, Baris Olten, Michael H. Bloch

 PII:
 S0165-0327(18)30124-1

 DOI:
 10.1016/j.jad.2018.04.047

 Reference:
 JAD 9701

<section-header>

To appear in: Journal of Affective Disorders

Received date:23 January 2018Revised date:22 March 2018Accepted date:4 April 2018

Please cite this article as: Shilpa Telang, Celeste Walton, Baris Olten, Michael H. Bloch, Meta-Analysis: Second Generation Antidepressants and Headache, *Journal of Affective Disorders* (2018), doi: 10.1016/j.jad.2018.04.047

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights:

- SSRIs are associated with minimal but statistically significant risk of headache
- SNRIs are not associated with an increased risk of headache
- Bupropion and possibly trazodone were associated with increased headache risk
- There is no significant difference in the relative risk of headache with SGA's based on diagnostic indication, pharmacological properties and dosage of medications

Download English Version:

## https://daneshyari.com/en/article/8815188

Download Persian Version:

https://daneshyari.com/article/8815188

Daneshyari.com