


Accepted Manuscript

Behavioral Activation Therapy during Transcranial Magnetic Stimulation for Major Depressive Disorder

Grace B. Russo , Eric Tirrell , Andrew Busch , Linda L. Carpenter

PII: S0165-0327(18)30027-2
DOI: [10.1016/j.jad.2018.04.108](https://doi.org/10.1016/j.jad.2018.04.108)
Reference: JAD 9763



To appear in: *Journal of Affective Disorders*

Received date: 5 January 2018
Revised date: 22 March 2018
Accepted date: 8 April 2018

Please cite this article as: Grace B. Russo , Eric Tirrell , Andrew Busch , Linda L. Carpenter , Behavioral Activation Therapy during Transcranial Magnetic Stimulation for Major Depressive Disorder, *Journal of Affective Disorders* (2018), doi: [10.1016/j.jad.2018.04.108](https://doi.org/10.1016/j.jad.2018.04.108)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- BA and TMS have a potentially synergistic effect in the treatment of MDD.
- Integration of BA into TMS proved to be feasible and well tolerated.
- The BA+TMS protocol was associated with significant reduction in MDD symptoms in a pilot sample.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/8815200>

Download Persian Version:

<https://daneshyari.com/article/8815200>

[Daneshyari.com](https://daneshyari.com)