

Accepted Manuscript

Temperament clusters associate with anxiety disorder comorbidity in depression

Vesa Paavonen , Kaisa Luoto , Antero Lassila , Esa Leinonen ,
Olli Kampman

PII: S0165-0327(18)30207-6
DOI: [10.1016/j.jad.2018.04.084](https://doi.org/10.1016/j.jad.2018.04.084)
Reference: JAD 9739



To appear in: *Journal of Affective Disorders*

Received date: 31 January 2018
Revised date: 24 March 2018
Accepted date: 15 April 2018

Please cite this article as: Vesa Paavonen , Kaisa Luoto , Antero Lassila , Esa Leinonen ,
Olli Kampman , Temperament clusters associate with anxiety disorder comorbidity in depression ,
Journal of Affective Disorders (2018), doi: [10.1016/j.jad.2018.04.084](https://doi.org/10.1016/j.jad.2018.04.084)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights:

- Four temperament clusters were found in depressed patients
- Novelty seekers temperament was associated with panic disorder
- Wearied temperament was associated with social anxiety disorder
- Reserved temperament was associated with generalized anxiety disorder
- Persistent temperament was associated with lower prevalence of anxiety disorders

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/8815234>

Download Persian Version:

<https://daneshyari.com/article/8815234>

[Daneshyari.com](https://daneshyari.com)