Accepted Manuscript

Affective Styles in Mood and Anxiety Disorders – Clinical Validation of the "Affective Style Questionnaire" (ASQ)


Christina Totzeck , Tobias Teismann , Stefan G. Hofmann , Ruth von Brachel , Xiao Chi Zhang , Verena Pflug , Jürgen Margraf

PII: S0165-0327(18)30112-5 DOI: 10.1016/j.jad.2018.05.035

Reference: JAD 9811

To appear in: Journal of Affective Disorders

Received date: 17 January 2018
Revised date: 27 April 2018
Accepted date: 25 May 2018



Please cite this article as: Christina Totzeck, Tobias Teismann, Stefan G. Hofmann, Ruth von Brachel, Xiao Chi Zhang, Verena Pflug, Jürgen Margraf, Affective Styles in Mood and Anxiety Disorders – Clinical Validation of the "Affective Style Questionnaire" (ASQ), *Journal of Affective Disorders* (2018), doi: 10.1016/j.jad.2018.05.035

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- The ASQ reveals a three-factor structure in a clinical sample
- Affective styles differ between affective and anxiety disorders
- Patients suffering from affective disorders show less adjusting
- Adjusting and concealing seem more important than reappraisal and suppression for depression, anxiety, and stress
- The ASQ is applicable in clinical studies

Download English Version:

https://daneshyari.com/en/article/8815269

Download Persian Version:

https://daneshyari.com/article/8815269

<u>Daneshyari.com</u>