

Accepted Manuscript

Prospective Predictors of First-Onset Depressive Disorders in
Adolescent Females with Anxiety Disorders

Estee M. Hausman , Roman Kotov , Greg Perlman , Greg Hajcak ,
Ellen M. Kessel , Daniel N. Klein

PII: S0165-0327(17)32279-6
DOI: [10.1016/j.jad.2018.04.005](https://doi.org/10.1016/j.jad.2018.04.005)
Reference: JAD 9659



To appear in: *Journal of Affective Disorders*

Received date: 3 November 2017
Revised date: 27 February 2018
Accepted date: 2 April 2018

Please cite this article as: Estee M. Hausman , Roman Kotov , Greg Perlman , Greg Hajcak ,
Ellen M. Kessel , Daniel N. Klein , Prospective Predictors of First-Onset Depressive Disorders
in Adolescent Females with Anxiety Disorders, *Journal of Affective Disorders* (2018), doi:
[10.1016/j.jad.2018.04.005](https://doi.org/10.1016/j.jad.2018.04.005)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- A depression-specific risk factor contributed to later depressive disorders and symptoms in girls with a history of anxiety disorders.
- Anxious adolescent girls with blunted reward sensitivity are more likely to develop first onset depressive disorders 27 months later.
- Blunted reward sensitivity also predicted depressive symptoms 27 months later.
- Blunted reward sensitivity predicted both first onset depressive disorder and depressive symptoms only in the presence of high social anxiety symptoms.

Download English Version:

<https://daneshyari.com/en/article/8815347>

Download Persian Version:

<https://daneshyari.com/article/8815347>

[Daneshyari.com](https://daneshyari.com)