


Accepted Manuscript

Efficacy of extended clinical management, group CBT, and group plus individual CBT for major depression: Results of a two-year follow-up study

Schaub Annette , Goldmann Ulrich , Mueser T Kim ,
Stephan Goerigk , Hautzinger Martin , Roth Elisabeth ,
Charypar Marketa , Engel Rolf , Möller Hans-Jürgen

PII: S0165-0327(17)32340-6
DOI: [10.1016/j.jad.2018.05.081](https://doi.org/10.1016/j.jad.2018.05.081)
Reference: JAD 9885



To appear in: *Journal of Affective Disorders*

Received date: 1 December 2017
Revised date: 19 April 2018
Accepted date: 28 May 2018

Please cite this article as: Schaub Annette , Goldmann Ulrich , Mueser T Kim , Stephan Goerigk , Hautzinger Martin , Roth Elisabeth , Charypar Marketa , Engel Rolf , Möller Hans-Jürgen , Efficacy of extended clinical management, group CBT, and group plus individual CBT for major depression: Results of a two-year follow-up study, *Journal of Affective Disorders* (2018), doi: [10.1016/j.jad.2018.05.081](https://doi.org/10.1016/j.jad.2018.05.081)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Novel treatment program; large number of inpatients with severe major depression (N=177).
- To our knowledge, this is the first randomised controlled study comparing a shorter and a longer version of CBT as well as Extended clinical management.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/8815356>

Download Persian Version:

<https://daneshyari.com/article/8815356>

[Daneshyari.com](https://daneshyari.com)