

Accepted Manuscript

The Association between Severity of Depression and Prescription Opioid Misuse among Chronic Pain Patients with and Without Anxiety: a Cross-sectional Study

Daniel Feingold , Silviu Brill , Itay Goor-Aryeh , Yael Delayahu , Shaul Lev-Ran

PII: S0165-0327(17)32128-6
DOI: [10.1016/j.jad.2018.04.058](https://doi.org/10.1016/j.jad.2018.04.058)
Reference: JAD 9713



To appear in: *Journal of Affective Disorders*

Received date: 13 October 2017
Revised date: 8 March 2018
Accepted date: 5 April 2018

Please cite this article as: Daniel Feingold , Silviu Brill , Itay Goor-Aryeh , Yael Delayahu , Shaul Lev-Ran , The Association between Severity of Depression and Prescription Opioid Misuse among Chronic Pain Patients with and Without Anxiety: a Cross-sectional Study, *Journal of Affective Disorders* (2018), doi: [10.1016/j.jad.2018.04.058](https://doi.org/10.1016/j.jad.2018.04.058)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- We compared prevalence of prescription opioid misuse among chronic pain patients
- Odds for misuse were compared across different levels of severity of depression
- More than 80% of all participants screened positive for some level of depression
- Misuse was 14 times more common among those with severe, compared to no, depression
- Severity of depression contributed to misuse regardless of severity of anxiety

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/8815390>

Download Persian Version:

<https://daneshyari.com/article/8815390>

[Daneshyari.com](https://daneshyari.com)