
Accepted Manuscript

Different Patterns Of Alcohol Consumption And The Incidence And Persistence Of Depressive And Anxiety Symptoms Among Older Adults In Ireland: A Prospective Community-Based Study

Andre F. Carvalho, Brendon Stubbs, Michael Maes, Marco Solmi, Davy Vancampfort, Paul A. Kurdyak, Andre R. Brunoni, Muhammad I Husain, Ai Koyanagi

PII: DOI: Reference:

S0165-0327(18)30748-1 10.1016/j.jad.2018.06.041 JAD 9899



To appear in:

Journal of Affective Disorders

Received date:8 April 2018Revised date:14 June 2018Accepted date:15 June 2018

Please cite this article as: Andre F. Carvalho, Brendon Stubbs, Michael Maes, Marco Solmi, Davy Vancampfort, Paul A. Kurdyak, Andre R. Brunoni, Muhammad I Husain, Ai Koyanagi, Different Patterns Of Alcohol Consumption And The Incidence And Persistence Of Depressive And Anxiety Symptoms Among Older Adults In Ireland: A Prospective Community-Based Study, *Journal of Affective Disorders* (2018), doi: 10.1016/j.jad.2018.06.041

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Associations of problematic alcohol use and incident and persistent probable depression and anxiety were assessed in a representative Irish community sample
- Among women, problematic alcohol use was independently associated with incident depressive and anxiety symptoms
- In women, problematic alcohol use was also associated with the persistence of depressive symptoms at a 2-year follow-up

1

Download English Version:

https://daneshyari.com/en/article/8815396

Download Persian Version:

https://daneshyari.com/article/8815396

Daneshyari.com