

Accepted Manuscript

'Cool' and 'Hot' Executive Functions in suicide attempters with Major Depressive Disorder

Ming-Chou Ho , Yi-Chieh Hsu , Mong-Liang Lu , Michael Gossop , Vincent Chin-Hung Chen

PII: S0165-0327(17)32182-1
DOI: [10.1016/j.jad.2018.04.057](https://doi.org/10.1016/j.jad.2018.04.057)
Reference: JAD 9712



To appear in: *Journal of Affective Disorders*

Received date: 21 October 2017
Revised date: 9 March 2018
Accepted date: 5 April 2018

Please cite this article as: Ming-Chou Ho , Yi-Chieh Hsu , Mong-Liang Lu , Michael Gossop , Vincent Chin-Hung Chen , 'Cool' and 'Hot' Executive Functions in suicide attempters with Major Depressive Disorder, *Journal of Affective Disorders* (2018), doi: [10.1016/j.jad.2018.04.057](https://doi.org/10.1016/j.jad.2018.04.057)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Patients with MDD have increased risk of all-cause mortality.
- We addressed both cool and hot EFs in MDD suicide attempters.
- The disrupted 'cool' EFs were found in patients with MDD.
- MDD attempters and non-attempters performed similarly to controls in the hot EF.

Download English Version:

<https://daneshyari.com/en/article/8815405>

Download Persian Version:

<https://daneshyari.com/article/8815405>

[Daneshyari.com](https://daneshyari.com)