

Accepted Manuscript

Mortality in treatment-resistant unipolar depression: a register-based cohort study in Sweden

Johan Reutfors , Therese M-L. Andersson , Philip Brenner ,
Lena Brandt , Allitia DiBernardo , Gang Li , David Hägg ,
Louise Wingård , Robert Bodén

PII: S0165-0327(18)30223-4
DOI: [10.1016/j.jad.2018.06.030](https://doi.org/10.1016/j.jad.2018.06.030)
Reference: JAD 9887



To appear in: *Journal of Affective Disorders*

Received date: 3 February 2018
Revised date: 7 June 2018
Accepted date: 12 June 2018

Please cite this article as: Johan Reutfors , Therese M-L. Andersson , Philip Brenner , Lena Brandt , Allitia DiBernardo , Gang Li , David Hägg , Louise Wingård , Robert Bodén , Mortality in treatment-resistant unipolar depression: a register-based cohort study in Sweden, *Journal of Affective Disorders* (2018), doi: [10.1016/j.jad.2018.06.030](https://doi.org/10.1016/j.jad.2018.06.030)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Mortality is higher in patients with TRD than in other patients with depression.
- The increased mortality in TRD is mainly attributed to external causes of death.
- Young and somatically healthy patients have the highest relative mortality increase.

Download English Version:

<https://daneshyari.com/en/article/8815408>

Download Persian Version:

<https://daneshyari.com/article/8815408>

[Daneshyari.com](https://daneshyari.com)