Accepted Manuscript

Lifetime Acute Suicidal Affective Disturbance Symptoms Account for the Link between Suicide-Specific Rumination and Lifetime Past Suicide Attempts

Megan L. Rogers, Thomas E. Joiner

 PII:
 S0165-0327(17)31274-0

 DOI:
 10.1016/j.jad.2018.04.023

 Reference:
 JAD 9677

<section-header>

To appear in: Journal of Affective Disorders

Received date:22 June 2017Revised date:21 February 2018Accepted date:2 April 2018

Please cite this article as: Megan L. Rogers, Thomas E. Joiner, Lifetime Acute Suicidal Affective Disturbance Symptoms Account for the Link between Suicide-Specific Rumination and Lifetime Past Suicide Attempts, *Journal of Affective Disorders* (2018), doi: 10.1016/j.jad.2018.04.023

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Running Head: SUICIDE-SPECIFIC RUMINATION, ASAD, AND SUICIDE ATTEMPTS 1

Highlights

- Suicide-specific rumination (SSR) and ASAD have each been linked to suicide attempts (SA).
- This study examined ASAD as an indirect indicator of the relation between SSR and SAs.
- ASAD accounted for the association between SSR and lifetime SAs, but not vice versa.
- This effect was particularly driven by the suicidal intent component of ASAD.

ACTIVITY

Download English Version:

https://daneshyari.com/en/article/8815441

Download Persian Version:

https://daneshyari.com/article/8815441

Daneshyari.com