

## Accepted Manuscript

Psychological and genetic risk factors associated with suicidal behavior in Korean patients with mood disorders

Hee-Yeon Choi , Ga Eun Kim , Kyoung Ae Kong , Yu Jin Lee ,  
Weon-Jeong Lim , So-Hyun Park , Su Hee Ha , Soo In Kim

PII: S0165-0327(17)31991-2  
DOI: [10.1016/j.jad.2018.04.059](https://doi.org/10.1016/j.jad.2018.04.059)  
Reference: JAD 9714



To appear in: *Journal of Affective Disorders*

Received date: 29 September 2017  
Revised date: 5 March 2018  
Accepted date: 5 April 2018

Please cite this article as: Hee-Yeon Choi , Ga Eun Kim , Kyoung Ae Kong , Yu Jin Lee , Weon-Jeong Lim , So-Hyun Park , Su Hee Ha , Soo In Kim , Psychological and genetic risk factors associated with suicidal behavior in Korean patients with mood disorders, *Journal of Affective Disorders* (2018), doi: [10.1016/j.jad.2018.04.059](https://doi.org/10.1016/j.jad.2018.04.059)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Highlights**

- Poor social support is a risk factor of suicidal ideation.
- Depressive symptoms are associated with suicidal ideation and suicide attempt.
- Younger age and alcohol consumption increase the risk of suicide attempt.
- The COMT rs4680 polymorphism may be associated with suicide attempt.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/8815456>

Download Persian Version:

<https://daneshyari.com/article/8815456>

[Daneshyari.com](https://daneshyari.com)