

Author's Accepted Manuscript

Determinants of access to health care for depression
in 49 countries: a multilevel analysis

Ricardo Araya, Pedro Zitko, Niina Markkula,
Dheeraj Rai, Kelvyn Jones



PII: S0165-0327(17)31399-X
DOI: <https://doi.org/10.1016/j.jad.2018.02.092>
Reference: JAD9638

To appear in: *Journal of Affective Disorders*

Received date: 12 July 2017
Revised date: 26 January 2018
Accepted date: 25 February 2018

Cite this article as: Ricardo Araya, Pedro Zitko, Niina Markkula, Dheeraj Rai and Kelvyn Jones, Determinants of access to health care for depression in 49 countries: a multilevel analysis, *Journal of Affective Disorders*, <https://doi.org/10.1016/j.jad.2018.02.092>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Determinants of access to health care for depression in 49 countries: a multilevel analysis

Ricardo Araya^{1*}, Pedro Zitko^{1,2,3}, Niina Markkula^{4,5}, Dheeraj Rai, *MRCPsych*^{6,7}, Kelvyn Jones⁸

¹Health Service & Population Research Department, IoPPN, King's College, London, UK

²Department of Public Health, Faculty of Medicine, Pontificia Universidad Católica de Chile, Santiago, Chile

³Unit of Healthcare Studies, Complejo Asistencial Barros Luco, Santiago, Chile

⁴Faculty of Medicine Clínica Alemana, Universidad del Desarrollo, Santiago, Chile

⁵Mental Health Unit, National Institute for Health and Welfare, Helsinki, Finland

⁶Centre for Academic Mental Health, School of Social and Community Medicine, University of Bristol, Bristol, UK

⁷Avon and Wiltshire Mental Health Partnership NHS Trust, UK

⁸Centre for Multilevel Modelling and School of Geographical Sciences, University of Bristol

***Correspondence to:** Centre for Global Mental Health and Primary Care Research, Health Service & Population Research (PO36), Institute of Psychiatry, Psychology & Neuroscience, King's College London, David Goldberg Centre, De Crespigny Park, London, SE5 8AF. +44 20 7848 5323. ricardo.araya@kcl.ac.uk

**Abstract
Background.**

The relative importance of individual and country-level factors influencing access to diagnosis and treatment for depression across the world is fairly unknown.

Methods.

We analysed cross-national data from the WHO World Health Surveys. Depression diagnosis and access to health care were ascertained using a structured interview.

Logistic Bayesian Multilevel analyses were performed to establish individual and country

Download English Version:

<https://daneshyari.com/en/article/8815486>

Download Persian Version:

<https://daneshyari.com/article/8815486>

[Daneshyari.com](https://daneshyari.com)