


Author's Accepted Manuscript

Depressive Symptoms, Alcohol Use and Coping Drinking Motives: Examining Various Pathways to Suicide Attempts Among Young Men

Véronique S. Grazioli, Courtney L. Bagge, Joseph Studer, Nicolas Bertholet, Ansgar Rougemont-Bücking, Meichun Mohler-Kuo, Jean-Bernard Daeppen, Gerhard Gmel



PII: S0165-0327(17)31987-0
DOI: <https://doi.org/10.1016/j.jad.2018.02.028>
Reference: JAD9574

To appear in: *Journal of Affective Disorders*

Received date: 24 September 2017
Revised date: 29 January 2018
Accepted date: 16 February 2018

Cite this article as: Véronique S. Grazioli, Courtney L. Bagge, Joseph Studer, Nicolas Bertholet, Ansgar Rougemont-Bücking, Meichun Mohler-Kuo, Jean-Bernard Daeppen and Gerhard Gmel, Depressive Symptoms, Alcohol Use and Coping Drinking Motives: Examining Various Pathways to Suicide Attempts Among Young Men, *Journal of Affective Disorders*, <https://doi.org/10.1016/j.jad.2018.02.028>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Depressive Symptoms, Alcohol Use and Coping Drinking Motives: Examining Various
Pathways to Suicide Attempts Among Young Men[☆]**

Véronique S. Grazioli^{a*}, Courtney L. Bagge^b, Joseph Studer^a, Nicolas Bertholet^a, Ansgar
Rougemont-Bücking^a, Meichun Mohler-Kuo^c, Jean-Bernard Daeppen^a, Gerhard Gmel^{d,e,f,g,h}

^aAlcohol Treatment Centre, Lausanne University Hospital CHUV, Lausanne,
Switzerland;

^bDepartment of Psychiatry and Human Behavior, University of Mississippi Medical
Center, Jackson, Mississippi, USA.

^cInstitute of Social and Preventive Medicine, and Epidemiology, Biostatistics and
Preventive Institute, University of Zurich, Switzerland;

^dAlcohol Treatment Centre, Lausanne University Hospital CHUV, Lausanne,
Switzerland;

^eInstitute of Social- and Preventive Medicine, University of Zurich, Zurich,
Switzerland;

^fAddiction Switzerland, Lausanne, Switzerland;

^gCentre for Addiction and Mental Health, Toronto, Ontario, Canada.

^hUniversity of the West of England, Bristol, United Kingdom.

*Correspondence concerning this article should be addressed to Véronique S. Grazioli,
Alcohol Treatment Centre, Lausanne University Hospital CHUV, Lausanne, Switzerland
Lausanne University Hospital CHUV, Av. Beaumont 21 bis, Pavillon 2, CH-1011 Lausanne,
Switzerland. Fax: +41 21 3140562. E-Mail: veronique.grazioli@chuv.ch

Abstract

[☆] This study was funded by the Swiss National Science Foundation (FN 33CSC0-122679 and FN 33CS30-139467).

Download English Version:

<https://daneshyari.com/en/article/8815594>

Download Persian Version:

<https://daneshyari.com/article/8815594>

[Daneshyari.com](https://daneshyari.com)