

## Author's Accepted Manuscript

Tryptophan-kynurenine and lipid related metabolites as blood biomarkers for first-episode drug-naïve patients with major depressive disorder: an exploratory pilot case-control study

Nobuki Kuwano, Takahiro A. Kato, Daiki Setoyama, Mina Sato-Kasai, Norihiro Shimokawa, Kohei Hayakawa, Masahiro Ohgidani, Noriaki Sagata, Hiroaki Kubo, Junji Kishimoto, Dongchon Kang, Shigenobu Kanba



PII: S0165-0327(17)31660-9  
DOI: <https://doi.org/10.1016/j.jad.2018.01.014>  
Reference: JAD9530

To appear in: *Journal of Affective Disorders*

Received date: 17 August 2017  
Revised date: 26 December 2017  
Accepted date: 28 January 2018

Cite this article as: Nobuki Kuwano, Takahiro A. Kato, Daiki Setoyama, Mina Sato-Kasai, Norihiro Shimokawa, Kohei Hayakawa, Masahiro Ohgidani, Noriaki Sagata, Hiroaki Kubo, Junji Kishimoto, Dongchon Kang and Shigenobu Kanba, Tryptophan-kynurenine and lipid related metabolites as blood biomarkers for first-episode drug-naïve patients with major depressive disorder: an exploratory pilot case-control study, *Journal of Affective Disorders*, <https://doi.org/10.1016/j.jad.2018.01.014>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Tryptophan-kynurenine and lipid related metabolites as blood biomarkers for first-episode drug-naïve patients with major depressive disorder: an exploratory pilot case-control study

Nobuki Kuwano, M.D.<sup>1</sup>, Takahiro A. Kato, M.D., Ph.D.<sup>1\*</sup>, Daiki Setoyama, Ph.D.<sup>2</sup>, Mina Sato-Kasai, M.D., Ph.D.<sup>1</sup>, Norihiro Shimokawa, M.D.<sup>1</sup>, Kohei Hayakawa, M.D.<sup>1</sup>, Masahiro Ohgidani, Ph.D.<sup>1</sup>, Noriaki Sagata, Ph.D.<sup>1</sup>, Hiroaki Kubo, M.A.<sup>1</sup>, Junji Kishimoto, Ph.D.<sup>3</sup>, Dongchon Kang, M.D., Ph.D.<sup>2</sup>, Shigenobu Kanba, M.D., Ph.D.<sup>1</sup>

<sup>1</sup>Department of Neuropsychiatry, Graduate School of Medical Sciences, Kyushu University, Maidashi 3-1-1, Higashi-ku, Fukuoka 812-8582, Japan

<sup>2</sup>Department of Clinical Chemistry and Laboratory Medicine, Graduate School of Medical Sciences, Kyushu University, Maidashi 3-1-1, Higashi-ku, Fukuoka 812-8582, Japan

<sup>3</sup>Department of Research and Development of Next Generation Medicine, Faculty of Medical Sciences, Kyushu University, Maidashi 3-1-1, Higashi-ku, Fukuoka 812-8582, Japan

**\*Correspondence to:** Takahiro A. Kato, M.D., Ph.D. (Associate Professor), Department of Neuropsychiatry, Graduate School of Medical Sciences, Kyushu University, Maidashi 3-1-1, Higashi-ku, Fukuoka 812-8582, Japan. Phone: +81-92-642-5627, Fax: +81-92-642-5644. takahiro@npsych.med.kyushu-u.ac.jp

**Abstract**

Download English Version:

<https://daneshyari.com/en/article/8815640>

Download Persian Version:

<https://daneshyari.com/article/8815640>

[Daneshyari.com](https://daneshyari.com)