


Author's Accepted Manuscript

Psychotropic Use and Risk of Stroke among Patients with Bipolar Disorders: 10-Year Nationwide Population Based Study

Chi-Shin Wu, Kuan-Yi Wu, Yu-Ru Lo, Ya-Wen Huang, Yu-Ting Tsai, Yashiun Li, Hui-Ju Tsai



PII: S0165-0327(17)30957-6
DOI: <http://dx.doi.org/10.1016/j.jad.2017.09.020>
Reference: JAD9228

To appear in: *Journal of Affective Disorders*

Received date: 12 May 2017
Revised date: 14 September 2017
Accepted date: 18 September 2017

Cite this article as: Chi-Shin Wu, Kuan-Yi Wu, Yu-Ru Lo, Ya-Wen Huang, Yu-Ting Tsai, Yashiun Li and Hui-Ju Tsai, Psychotropic Use and Risk of Stroke among Patients with Bipolar Disorders: 10-Year Nationwide Population Based Study, *Journal of Affective Disorders*, <http://dx.doi.org/10.1016/j.jad.2017.09.020>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Psychotropic Use and Risk of Stroke among Patients with Bipolar Disorders: 10-Year
Nationwide Population Based Study

Chi-Shin Wu, MD, PhD^{a,b}, Kuan-Yi Wu, MS, MD^c, Yu-Ru Lo, MS^d, Ya-Wen Huang,
MS^d, Yu-Ting Tsai, MS^d, Yashiun Li, BS^d, Hui-Ju Tsai, MPH, PhD^{d,e*}

^a Department of Psychiatry, National Taiwan University Hospital, Taipei, Taiwan.

^b Department of Psychiatry, Far Eastern Memorial Hospital, New Taipei City, Taiwan.

^c Department of Psychiatry, Chang Gung Memorial Hospital, Lin-Kou & Chang Gung
University, Lin-Kou, Taiwan.

^d Division of Biostatistics and Bioinformatics, Institute of Population Health Sciences,
National Health Research Institutes, Zhunan, Taiwan.

^e Department of Pediatrics, Feinberg School of Medicine, Northwestern University,
Chicago, IL, USA.

*** Correspondence and reprint requests should be addressed to:**

Hui-Ju Tsai, MPH, PhD, Division of Biostatistics and Bioinformatics, Institute of
Population Health Sciences, National Health Research Institutes, Zhunan, Taiwan;

E-mail: tsaihj@nhri.org.tw; h-tsai@northwestern.edu

Abstract word count: 236

Text word count: 4,191

Tables: 3

Figures: 2

Supplementary Tables: 4

Keywords: antipsychotics; antidepressants; mood stabilizers; stroke; bipolar disorders

Running title: Psychotropic Use and Risk of Stroke

Download English Version:

<https://daneshyari.com/en/article/8815998>

Download Persian Version:

<https://daneshyari.com/article/8815998>

[Daneshyari.com](https://daneshyari.com)