Clinical utility for diffusion MRI sequence in emergency and inpatient spine protocols

Michael J. Hoch, Joanne Rispoli, Mary Bruno, Mervin Wauchope, Yvonne W. Lui, Timothy M. Shepherd

PII: S0899-7071(17)30106-7
DOI: doi: 10.1016/j.clinimag.2017.05.021
Reference: JCT 8259

To appear in:

Received date: 15 February 2017
Revised date: 10 May 2017
Accepted date: 30 May 2017

Please cite this article as: Michael J. Hoch, Joanne Rispoli, Mary Bruno, Mervin Wauchope, Yvonne W. Lui, Timothy M. Shepherd , Clinical utility for diffusion MRI sequence in emergency and inpatient spine protocols, (2017), doi: 10.1016/j.clinimag.2017.05.021

Clinical utility for diffusion MRI sequence in emergency and inpatient spine protocols

Michael J. Hoch[1], Joanne Rispoli[1], Mary Bruno[1,2], Mervin Wauchope[1], Yvonne W. Lui[1] & Timothy M. Shepherd[1,2].

[1]Department of Radiology, New York University Langone Medical Center, 660 First Avenue, New York, NY, 10016.

[2]Center for Advanced Imaging Innovation and Research (CAI[2]R), 660 First Avenue, New York, New York 10016.

Corresponding Author: Michael J. Hoch, M.D.
1364 Clifton Rd NE, Atlanta, GA, 30322
michael.hoch@emory.edu
Phone: 404-712-4519
Fax: 404-712-1219

Journal: Clinical Imaging

Pictorial Essay: Abstract (100), Words (2618), References (51), Figures (21)

Running Title: Utility of spine diffusion MRI (26 characters)

Keywords: MRI, DWI, spine imaging

Disclosure: TMS received research support from the National Institute of Aging (NIH1K23 AG048622-01). YWL received research support from the National Institute for Neurological Disorders and Stroke (NIH R01 NS039135-11 & R21 NS090349). This work was supported in part by the Center for Advanced Imaging Innovation and Research, an NIH NIBIB Biomedical Technology Resource Center (Grant P41EB017183).