

Accepted Manuscript

Standardization of the apparent diffusion coefficient value of bladder cancer across different centers: Applicability in predicting aggressive pathologic phenotypes

Toshinori Nishizawa, Soichiro Yoshida, Fumitaka Koga, Hiroshi Tanaka, Mihiro Kaga, Kotaro Watanabe, Hiroshi Fukushima, Yasukazu Nakanishi, Minato Yokoyama, Junichiro Ishioka, Yoh Matsuoka, Kazutaka Saito, Yasuhisa Fujii, Kazunori Kihara

PII: S0899-7071(17)30083-9
DOI: doi: [10.1016/j.clinimag.2017.05.004](https://doi.org/10.1016/j.clinimag.2017.05.004)
Reference: JCT 8242

To appear in:

Received date: 25 December 2016
Revised date: 30 April 2017
Accepted date: 1 May 2017

Please cite this article as: Toshinori Nishizawa, Soichiro Yoshida, Fumitaka Koga, Hiroshi Tanaka, Mihiro Kaga, Kotaro Watanabe, Hiroshi Fukushima, Yasukazu Nakanishi, Minato Yokoyama, Junichiro Ishioka, Yoh Matsuoka, Kazutaka Saito, Yasuhisa Fujii, Kazunori Kihara , Standardization of the apparent diffusion coefficient value of bladder cancer across different centers: Applicability in predicting aggressive pathologic phenotypes, (2017), doi: [10.1016/j.clinimag.2017.05.004](https://doi.org/10.1016/j.clinimag.2017.05.004)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Title:**Standardization of the apparent diffusion coefficient value of bladder cancer across different centers: Applicability in predicting aggressive pathologic phenotypes**

Toshinori Nishizawa^a, Soichiro Yoshida^{a*}, Fumitaka Koga^{b*}, Hiroshi Tanaka^c, Mihiro Kaga^a, Kotaro Watanabe^a, Hiroshi Fukushima^b, Yasukazu Nakanishi^b, Minato Yokoyama^a, Junichiro Ishioka^a, Yoh Matsuoka^a, Kazutaka Saito^a, Yasuhisa Fujii^a, and Kazunori Kihara^a

a Department of Urology, Tokyo Medical and Dental University Graduate School.

1-5-45, Yushima, Bunkyo-ku, Tokyo, Japan. Postal code: 113-8519

b Department of Urology, Tokyo Metropolitan Cancer and Infectious Diseases Center Komagome Hospital.

Honkomagome, Bunkyo-ku, Tokyo, Japan. Postal code: 113-8677

c Department of Radiology, Ochanomizu Surugadai Clinic.

2-1-47, Kanda Surugadai, Chiyoda-ku, Tokyo, Japan. Postal code: 101-0062

***Correspondence:** Soichiro Yoshida, MD, PhD

Department of Urology, Tokyo Medical and Dental University Graduate School

1-5-45 Yushima, Bunkyo-ku, Tokyo, Japan

Tel: +81-3-5803-5295; Fax: +81-3-5803-5295

Email: s-yoshida.uro@tmd.ac.jp

Fumitaka Koga, MD, PhD

Department of Urology, Tokyo Metropolitan Cancer and Infectious Diseases Center Komagome Hospital

3-18-22 Honkomagome, Bunkyo-ku, Tokyo, Japan

Tel: +81-3-3823-2101; Fax: +81-3-3823-5433

Email: f-koga@cick.jp

Download English Version:

<https://daneshyari.com/en/article/8821676>

Download Persian Version:

<https://daneshyari.com/article/8821676>

[Daneshyari.com](https://daneshyari.com)