

Accepted Manuscript

Title: Inter- and Intra-Observer Repeatability of Aortic Annulus Measurements on Screening CT for Transcatheter Aortic Valve Replacement (TAVR): Implications for Appropriate Device Sizing

Authors: Gesine Knobloch, Sarah Sweetman, Carrie Bartels, Amish Raval, Georgio Gimelli, Kurt Jacobson, Lucian Lozonschi, Takushi Kohmoto, Satoru Osaki, Christopher François, Scott Nagle

PII: S0720-048X(18)30208-0
DOI: <https://doi.org/10.1016/j.ejrad.2018.06.003>
Reference: EURR 8213

To appear in: *European Journal of Radiology*

Received date: 21-11-2017
Revised date: 20-5-2018
Accepted date: 4-6-2018

Please cite this article as: Knobloch G, Sweetman S, Bartels C, Raval A, Gimelli G, Jacobson K, Lozonschi L, Kohmoto T, Osaki S, François C, Nagle S, Inter- and Intra-Observer Repeatability of Aortic Annulus Measurements on Screening CT for Transcatheter Aortic Valve Replacement (TAVR): Implications for Appropriate Device Sizing, *European Journal of Radiology* (2018), <https://doi.org/10.1016/j.ejrad.2018.06.003>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Inter- and Intra-Observer Repeatability of Aortic Annulus Measurements on Screening CT for Transcatheter Aortic Valve Replacement (TAVR): Implications for Appropriate Device Sizing

Gesine Knobloch, MD^{1,*,#}; Sarah Sweetman, MD^{1,*}; Carrie Bartels, RT(R) (CT)^{1,*}; Amish Raval, MD^{2,*}; Georgio Gimelli, MD^{2,*}; Kurt Jacobson, MD^{2,*}; Lucian Lozonschi, MD^{3,*}; Takushi Kohmoto, MD^{3,*}; Satoru Osaki, MD^{3,*}; Christopher François, MD^{1,*}; Scott Nagle, MD, PhD^{1,4,5,*}

*¹Department of Radiology, UW – School of Medicine and Public Health, Madison, WI, USA

*²Department of Cardiology, UW – School of Medicine and Public Health, Madison, WI, USA

*³Department of Surgery, UW – School of Medicine and Public Health, Madison, WI, USA

*⁴Department of Medical Physics, UW – School of Medicine and Public Health, Madison, WI, USA

*⁵Department of Pediatrics, UW – School of Medicine and Public Health, Madison, WI, USA

#Corresponding author: Gesine Knobloch, M.D., Department of Radiology, University of Wisconsin – School of Medicine and Public Health, E3/366 Clinical Science Center, 600 Highland Avenue, Madison, WI 53792-3252, USA

E-mail: gknobloch@wisc.edu

Tel: +1-608-265-6011

Fax: +1-608-265-6011

Highlights

- Multi-reader TAVR-CT evaluations have a lower measurement variability than single-reader measurements
- Multi-reader approaches reduce the rate of discrepant device size categorization

Download English Version:

<https://daneshyari.com/en/article/8822485>

Download Persian Version:

<https://daneshyari.com/article/8822485>

[Daneshyari.com](https://daneshyari.com)