

Available online at www.sciencedirect.com

ScienceDirect

journal homepage: <http://Elsevier.com/locate/radcr>

Chest

A case of Caplan syndrome in a recently diagnosed patient with silicosis: A case report

Zeineb Alaya PhD^{a,*}, Mouna Braham PhD^a, Sana Aissa PhD^b, Houda Kalboussi PhD^c, Elyès Bouajina PhD^a

^a Department of Rheumatology, Farhat Hached Hospital, Faculty of Medicine of Sousse, Ibn el Jazzar Street, 4000, Sousse, Tunisia

^b Department of Pneumology, Farhat Hached Hospital, Faculty of Medicine of Sousse, Sousse, Tunisia

^c Department of Medical Work, Farhat Hached Hospital, Faculty of Medicine of Sousse, Sousse, Tunisia

ARTICLE INFO

Article history:

Received 11 January 2018

Accepted 8 March 2018

Available online

Keywords:

Caplan syndrome

Rheumatoid arthritis

Silicosis

Chest CT scan

Rituximab

ABSTRACT

Rheumatoid pneumoconiosis, also known as Caplan's syndrome is defined as the association between silicosis and rheumatoid arthritis (RA). It is a rare and usually diagnosed in an advanced stage of RA course. It affects generally patients with long exposure to silica. In this article, we report a case of Caplan's syndrome.

© 2018 the Authors. Published by Elsevier Inc. under copyright license from the University of Washington. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Introduction

Occupational exposure to silica has been implicated in the development of autoimmune inflammatory diseases [1]. Its association with rheumatoid arthritis (RA) is well recognized [1], and is known as “Caplan syndrome” or also “rheumatoid pneumoconiosis.” It is a rare syndrome which can also occur in workers exposed to silica as well as in patients with silicosis or asbestosis [2]. It was identified in 1953 by Caplan [3] and consists of multiple well-defined rounded nodules on chest x-ray, distributed throughout the lungs predominantly at the periphery [4]. The prevalence of this syndrome among

patients with pneumoconiosis is low [4]. The prevalence of 0.4% was found by Caplan [3]; more recently, in a comparative study, Honma and Vallyathan showed an incidence of 0.75% in Japan and 1.5% in the United States [5]. Here we reported a case of Caplan syndrome in a patient with a diagnosis of silicosis.

Case presentation

A 58-year-old man who did not smoke, had worked for 21 years as a truck driver with exposure to silica, until the age of 52, when he developed dyspnea with polyarthritis involving wrists

Competing Interests: The authors have declared that no competing interests exist.

* Corresponding author.

E-mail address: zeineb_a@hotmail.fr (Z. Alaya).

<https://doi.org/10.1016/j.radcr.2018.03.004>

1930-0433/© 2018 the Authors. Published by Elsevier Inc. under copyright license from the University of Washington. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).




Fig. 1 – Chest x-ray showing multiple micronodules distributed throughout the lungs but predominantly in the lower segments.




Fig. 2 – Computed tomography scan of the chest showing a pulmonary fibrosis with septal and intralobular cross-links in the 2 lung bases predominantly on the left side and at the upper lingual lobe.

and ankles. He was referred to the Pneumology department in Farhat Hached Hospital in Sousse in Tunisia. He had dyspnea in effort stage II based on New York Heart Association classification. The pulmonary auscultation revealed crepitus in the basal segments. The exploration of respiratory function showed a mild restrictive ventilatory deficit without alveolocapillary diffusion abnormalities. Chest x-rays revealed multiple micronodules distributed throughout the lungs but predominantly in the lower segments (Fig. 1). The bronchoalveolar lavage showed a predominance of macrophagic cells with a predominance of 30% of siderophages. The CT scan of the chest showed a pulmonary fibrosis with septal and intralobular cross-links in the 2 lung bases predominantly on the left side and at the upper lingular lobe (Fig. 2). The diagnosis of silicosis was made in 2011. Then, in 2016, the patient was referred to the rheumatology department for exploration of chronic symmetrical polyarthritis. On physical examination, the patient presented with synovitis in the shoulders, wrists, hands (Fig. 3), and the right knee. The x-ray showed bilateral erosions in both hands (Fig. 4) and feet (Fig. 5). Rheumatoid factor by the Latex and Rose-Waaler reaction and anticyclic citrullinated peptide antibodies measured by ELISA were highly positive (500 UI and 170 UI/L, respectively). The patient was diagnosed with RA based on the American College of Rheumatology/European League against Rheumatism classification criteria of RA [6]. The disease activity score (DAS28) [7] was up for 7.52. The diagnosis of Caplan syndrome was made. The patient received corticosteroids and rituximab (Mabthera) with an improvement in polyarthritis with a 12-month follow-up.

Discussion

Caplan syndrome is first described by Caplan in 1953 [3], observed on coal workers of South Wales. The syndrome consists in the association between silicosis and RA [2]. The radiological

features consist in multiple well-defined round opacities, measured between 0.5 and 5.0 cm in diameter, distributed throughout both lung fields but predominantly at the periphery [8]. The association between long exposure to silica, pneumoconiosis, and RA is proved [9]. In the study of Calvert et al. [10], the link between crystalline silica exposure and RA is well demonstrated. Both RA and rheumatoid factor is more frequent in patients with Caplan syndrome compared with exposed miners with or without simple pneumoconiosis [11].

The pathologic classic type of “Caplan nodules” is that they contain a central necrotic area that is surrounded by alternate necrotic tissue and layers of black coal dust, with a peripheral zone of cellular infiltration containing



Fig. 3 – Picture of the patient's hands showing synovitis in both wrists and small joints of the hands.

Download English Version:

<https://daneshyari.com/en/article/8825002>

Download Persian Version:

<https://daneshyari.com/article/8825002>

[Daneshyari.com](https://daneshyari.com)