


Accepted Manuscript

Atherosclerosis is associated with erectile function and lower urinary tract symptoms, especially nocturia, in middle-aged men

Akira Tsujimura, Ippei Hiramatsu, Yusuke Aoki, Hirofumi Shimoyama, Taiki Mizuno, Taiji Nozaki, Masato Shirai, Kazuhiro Kobayashi, Yoshiaki Kumamoto, Shigeo Horie



PII: S2287-8882(16)30080-0

DOI: [10.1016/j.pnil.2017.01.006](https://doi.org/10.1016/j.pnil.2017.01.006)

Reference: PRNIL 82

To appear in: *Prostate International*

Received Date: 7 December 2016

Revised Date: 7 January 2017

Accepted Date: 9 January 2017

Please cite this article as: Tsujimura A, Hiramatsu I, Aoki Y, Shimoyama H, Mizuno T, Nozaki T, Shirai M, Kobayashi K, Kumamoto Y, Horie S, Atherosclerosis is associated with erectile function and lower urinary tract symptoms, especially nocturia, in middle-aged men, *Prostate International* (2017), doi: 10.1016/j.pnil.2017.01.006.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Atherosclerosis is associated with erectile function and lower urinary tract symptoms, especially nocturia, in middle-aged men

Akira Tsujimura^{1,2}, Ippei Hiramatsu^{1,3}, Yusuke Aoki^{1,3}, Hirofumi Shimoyama^{1,3}, Taiki Mizuno¹, Taiji Nozaki¹, Masato Shirai¹, Kazuhiro Kobayashi², Yoshiaki Kumamoto² & Shigeo Horie^{2,3*}

¹Department of Urology, Juntendo University Urayasu Hospital, 2-1-1, Tomioka Urayasu, Chiba, 279-0021, Japan, ²Men's Health Clinic Tokyo, 1-11-1, Marunouchi Chiyoda-ku, Tokyo, 100-6210, Japan, ³Department of Urology, Juntendo University Graduate School of Medicine, 2-1-1, Hongo Bunkyo-ku, Tokyo, 113-8421, Japan

Short title: Atherosclerosis associated with erection and nocturia

***Correspondence:** Department of Urology, Juntendo University Graduate School of Medicine, 2-1-1 Hongo Bunkyo-ku, Tokyo, 113-8421, Japan, Tel: +3-3813-3111; Fax: +3-5802-1227; E-mail: shorie@juntendo.ac.jp

Download English Version:

<https://daneshyari.com/en/article/8829092>

Download Persian Version:

<https://daneshyari.com/article/8829092>

[Daneshyari.com](https://daneshyari.com)