

Title: Statin Medications Are Associated with Decreased Risk of Sepsis and Anastomotic Leaks after Rectal Resections

Authors: David Disbrow MD^a, Corie L. Seelbach DO^b, Jeremy Albright PhD^c, Jane Ferraro MPP, RN^d, Juan Wu ScD^e, Jon M. Hain MD^f, Beth-Ann Shanker MD^g, Robert K Cleary MD^h

^aColon and Rectal Surgery Resident, Department of Surgery, St. Joseph Mercy Hospital Ann Arbor, Ann Arbor, MI, ddisbrow@gmail.com

^bDepartment of Surgery, William Beaumont Hospital Troy, Troy, MI, corie.seelbach@gmail.com

^cSenior Data Scientist, Methods Consultants, 25 East Cross St., Ypsilanti, MI.

jeremy@methodsconsultants.com

^dProgram Manager of Colorectal Research, St. Joseph Mercy Hospital Ann Arbor, Ann Arbor, MI, jane.ferraro@stjoeshealth.org

^eOutcomes Research Scientist, Academic Research Department, St. Joseph Mercy Hospital Ann Arbor, Ann Arbor, MI, juan.wu@stjoeshealth.org

^fDepartment of Surgery, William Beaumont Hospital Troy, Troy, MI, jon.hain.crs@gmail.com

^gDepartment of Surgery, St Joseph Mercy Hospital Ann Arbor, Ann Arbor, MI,

BethAnn_Shanker@ihacares.com

^hProgram Director Colon and Rectal Surgery, Director of Research, St. Joseph Mercy Hospital Ann Arbor, Ann Arbor, MI, Robert.Cleary@stjoeshealth.org

Corresponding Author:

Robert K. Cleary, MD

5333 McAuley Dr.

Reichert Health Center, Suite 2115

Ann Arbor, MI 48106

Download English Version:

<https://daneshyari.com/en/article/8830544>

Download Persian Version:

<https://daneshyari.com/article/8830544>

[Daneshyari.com](https://daneshyari.com)