

# Accepted Manuscript

Utility of glycated hemoglobin screening in patients undergoing elective coronary artery surgery: Prospective, cohort study from the E-CABG registry

Francesco Nicolini, Giuseppe Santarpino, Giuseppe Gatti, Daniel Reichart, Francesco Onorati, Giuseppe Faggian, Magnus Dalén, Sorosh Khodabandeh, Theodor Fischlein, Daniele Maselli, Saverio Nardella, Antonino S. Rubino, Marisa De Feo, Antonio Salsano, Riccardo Gherli, Giovanni Mariscalco, Eeva-Maija Kinnunen, Vito G. Ruggieri, Karl Bounader, Matteo Saccocci, Sidney Chocron, Juhani Airaksinen, Andrea Perrotti, Fausto Biancari



PII: S1743-9191(18)30707-6

DOI: [10.1016/j.ijisu.2018.04.021](https://doi.org/10.1016/j.ijisu.2018.04.021)

Reference: IJSU 4593

To appear in: *International Journal of Surgery*

Received Date: 25 August 2017

Revised Date: 6 April 2018

Accepted Date: 10 April 2018

Please cite this article as: Nicolini F, Santarpino G, Gatti G, Reichart D, Onorati F, Faggian G, Dalén M, Khodabandeh S, Fischlein T, Maselli D, Nardella S, Rubino AS, De Feo M, Salsano A, Gherli R, Mariscalco G, Kinnunen E-M, Ruggieri VG, Bounader K, Saccocci M, Chocron S, Airaksinen J, Perrotti A, Biancari F, Utility of glycated hemoglobin screening in patients undergoing elective coronary artery surgery: Prospective, cohort study from the E-CABG registry, *International Journal of Surgery* (2018), doi: 10.1016/j.ijisu.2018.04.021.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Utility of Glycated Hemoglobin Screening in Patients Undergoing Elective Coronary Artery Surgery: Prospective, Cohort Study from the E-CABG Registry

**Running title:** HbA1c in elective CABG

Francesco Nicolini,<sup>a</sup> MD, PhD, Giuseppe Santarpino,<sup>b</sup> MD, PhD, Giuseppe Gatti,<sup>c</sup> MD, Daniel Reichart,<sup>d</sup> MD, Francesco Onorati,<sup>e</sup> MD, PhD, Giuseppe Faggian,<sup>e</sup> MD, PhD, Magnus Dalén,<sup>f</sup> MD, PhD, Sorosh Khodabandeh,<sup>f</sup> MD, Theodor Fischlein,<sup>b</sup> MD, PhD, Daniele Maselli,<sup>g</sup> MD, Saverio Nardella,<sup>g</sup> MD, Antonino S. Rubino,<sup>h</sup> MD, PhD, Marisa De Feo,<sup>i</sup> MD, PhD, Antonio Salsano,<sup>l</sup> MD, Riccardo Gherli,<sup>m</sup> MD, Giovanni Mariscalco,<sup>n</sup> MD, PhD, Eeva-Maija Kinnunen,<sup>o</sup> MD, PhD, Vito G. Ruggieri,<sup>p</sup> MD, PhD, Karl Bounader,<sup>p</sup> MD, Matteo Saccocci,<sup>q</sup> MD, Sidney Chocron,<sup>r</sup> MD, Juhani Airaksinen,<sup>s</sup> MD, PhD, Andrea Perrotti,<sup>r</sup> MD, PhD, and Fausto Biancari,<sup>o,s,t</sup> MD, PhD

<sup>a</sup>Division of Cardiac Surgery, University of Parma, Parma, Italy;

<sup>b</sup>Cardiovascular Center, Paracelsus Medical University, Nuremberg, Germany;

<sup>c</sup>Division of Cardiac Surgery, Ospedali Riuniti, Trieste, Italy;

<sup>d</sup>Hamburg University Heart Center, Hamburg, Germany;

<sup>e</sup>Division of Cardiovascular Surgery, Verona University Hospital, Verona, Italy;

<sup>f</sup>Department of Molecular Medicine and Surgery, Department of Cardiothoracic Surgery and Anesthesiology, Karolinska Institutet, Karolinska University Hospital, Stockholm, Sweden;

<sup>g</sup>Department of Cardiac Surgery, St. Anna Hospital, Catanzaro, Italy;

<sup>h</sup>Centro Cuore Morgagni, Pedara, Italy;

<sup>i</sup>Division of Cardiac Surgery, Department of Cardiothoracic Sciences, Second University of Naples, Naples, Italy;

<sup>l</sup>Division of Cardiac Surgery, University of Genoa, Genoa, Italy;

<sup>m</sup>Department of Cardiovascular Sciences, Cardiac Surgery Unit, S. Camillo-Forlanini Hospital, Rome, Italy;

<sup>n</sup>Department of Cardiovascular Sciences, Clinical Sciences Wing, University of Leicester, Glenfield Hospital, Leicester, UK;

<sup>o</sup>Department of Surgery, Oulu University Hospital and University of Oulu, Oulu, Finland;

<sup>p</sup>Division of Cardiothoracic and Vascular Surgery, Pontchaillou University Hospital, Rennes, France;

<sup>q</sup>Department of Cardiac Surgery, Centro Cardiologico-Fondazione Monzino IRCCS, University of Milan, Italy ;

<sup>r</sup>Department of Thoracic and Cardio-Vascular Surgery, University Hospital Jean Minjoz, Besançon, France;

<sup>s</sup>Heart Center, Turku University Hospital and University of Turku, Turku, Finland;

<sup>t</sup>Department of Surgery, University of Turku, Turku, Finland.

**Trial Registration:** Clinicaltrials.gov - NCT02319083

**Text word count:** 2855 words

## Corresponding Author:

Prof. Fausto Biancari,

Heart Center,

Turku University Hospital,

PO Box 52, 20521 Turku

E-mail: faustobiancari@yahoo.it

Download English Version:

<https://daneshyari.com/en/article/8831905>

Download Persian Version:

<https://daneshyari.com/article/8831905>

[Daneshyari.com](https://daneshyari.com)