

Accepted Manuscript

Dosage Effects of Extracorporeal Shockwave Therapy in Early Hip Necrosis

Ching-Jen Wang, M D, Chung-Cheng Huang, M.D., Hon-Kan Yip, MD, Ya-Ju Yang, BS.



PII: S1743-9191(16)30861-5

DOI: [10.1016/j.ijisu.2016.09.013](https://doi.org/10.1016/j.ijisu.2016.09.013)

Reference: IJSU 3059

To appear in: *International Journal of Surgery*

Received Date: 1 June 2016

Revised Date: 11 August 2016

Accepted Date: 11 September 2016

Please cite this article as: Wang C-J, Huang C-C, Yip H-K, Yang Y-J, Dosage Effects of Extracorporeal Shockwave Therapy in Early Hip Necrosis, *International Journal of Surgery* (2016), doi: 10.1016/j.ijisu.2016.09.013.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Dosage Effects of Extracorporeal Shockwave Therapy in Early Hip Necrosis

Ching-Jen Wang, M D,^{1,2} Chung-Cheng Huang, M.D.,³

Hon-Kan Yip, MD^{1,4} and Ya-Ju Yang, BS.²

Center for Shockwave Medicine and Tissue Engineering,
Department of Medical Research,¹ Orthopedic Surgery,² Diagnostic Radiology,³
and Cardiology⁴

Kaohsiung Chang Gung Memorial Hospital
Chang Gung University College of Medicine, Taiwan.

For correspondence and reprint request:

Chung-Cheng Huang, M.D.

Kaohsiung Chang Gung Memorial Hospital,
123 Ta-Pei Road, Niao-Sung District, Kaohsiung, Taiwan 833.

Tel: 886-7-733-5279; Fax: 886-7-733-5515; Email: w281211@adm.cgmh.org.tw.

Running title: ESWT enhances angiogenesis in early ONFH

Download English Version:

<https://daneshyari.com/en/article/8832364>

Download Persian Version:

<https://daneshyari.com/article/8832364>

[Daneshyari.com](https://daneshyari.com)