Accepted Manuscript

Title: Pseudolymphoma with atrophic parenchyma of the

liver: Report of a case

Authors: Yusuke Takahashi, Hitoshi Seki, Yasushi Sekino


PII: S2210-2612(18)30237-2

DOI: https://doi.org/10.1016/j.ijscr.2018.06.033

Reference: IJSCR 3209

To appear in:

Received date: 22-5-2018 Accepted date: 14-6-2018



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Pseudolymphoma with atrophic parenchyma of the liver: Report of a case

Yusuke Takahashi^a, Hitoshi Seki^a, Yasushi Sekino^a

^aDepartment of Digestive Surgery, Nagano Municipal Hospital, Nagano, 381-8551,

Japan

Corresponding author:

Yusuke Takahashi

Nagano Municipal Hospital, Department of Digestive Surgery,

1-1333 Tomitake, Nagano City, 381-8551, Japan

Telephone: +81-26-295-1199

Fax: +81-26-295-1148

Email: yuusuke_takahashi@hospital.nagano.nagano.jp

Highlights

- Pseudolymphoma of the liver is usually diagnosed after surgical resection, and long term observation is rarely reported.
- We present a case of pseudolymphoma demonstrating slight enlargement during two year follow-up.
- The present case is probably the first to be reported with long term follow-up.

ABSTRACT:

INTRODUCTION: Pseudolymphoma of the liver is a very rare disease. It is usually

1

Download English Version:

https://daneshyari.com/en/article/8832489

Download Persian Version:

https://daneshyari.com/article/8832489

<u>Daneshyari.com</u>