


Accepted Manuscript



Treatment Policy and Liver Histopathology Predict Biliary Atresia Outcomes: Results after National Centralization and Protocol Biopsies

Maria Hukkinen, MD, PhD, Anna Kerola, MD, Jouko Lohi, MD, PhD, Päivi Heikkilä, MD, PhD, Laura Merras-Salmio, MD, PhD, Timo Jahnukainen, MD, PhD, Antti Koivusalo, MD, PhD, Hannu Jalanko, MD, PhD, Mikko P. Pakarinen, MD, PhD

PII: S1072-7515(17)31971-3

DOI: [10.1016/j.jamcollsurg.2017.09.009](https://doi.org/10.1016/j.jamcollsurg.2017.09.009)

Reference: ACS 8895

To appear in: *Journal of the American College of Surgeons*

Received Date: 19 June 2017

Revised Date: 28 July 2017

Accepted Date: 7 September 2017

Please cite this article as: Hukkinen M, Kerola A, Lohi J, Heikkilä P, Merras-Salmio L, Jahnukainen T, Koivusalo A, Jalanko H, Pakarinen MP, Treatment Policy and Liver Histopathology Predict Biliary Atresia Outcomes: Results after National Centralization and Protocol Biopsies, *Journal of the American College of Surgeons* (2017), doi: 10.1016/j.jamcollsurg.2017.09.009.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Treatment Policy and Liver Histopathology Predict Biliary Atresia Outcomes: Results after National Centralization and Protocol Biopsies

Maria Hukkinen, MD, PhD^{1,2*}; Anna Kerola, MD^{1,2*}; Jouko Lohi, MD, PhD³; Päivi Heikkilä, MD, PhD³; Laura Merras-Salmio, MD, PhD^{1,4}; Timo Jahnukainen, MD, PhD⁵; Antti Koivusalo, MD, PhD^{1,2}; Hannu Jalanko, MD, PhD⁵; Mikko P Pakarinen, MD, PhD^{1,2}

*The first two co-authors share an equal contribution to this work.

¹Pediatric Liver and Gut Research Group, Children's Hospital, Helsinki University Hospital, Helsinki, Finland

²Section of Pediatric Surgery, Children's Hospital, Helsinki University Hospital, Helsinki, Finland

³Department of Pathology, HUSLAB, Helsinki University Hospital, Helsinki, Finland

⁴Department of Pediatric Gastroenterology, Helsinki University Children's Hospital, Helsinki, Finland

⁵Department of Pediatric Nephrology and Transplantation, Children's Hospital, Helsinki University Hospital, Helsinki, Finland

Disclosure Information: Nothing to disclose.

Support: This study was supported by the Sigrid Jusélius Foundation, the Finnish Pediatric Research Foundation, and the Helsinki University Central Hospital Grant #TYH2015219.

Corresponding Author Address:

Mikko P Pakarinen, MD PhD

Helsinki University Hospital, Children's Hospital, PO Box 281, 00029 HUS, Helsinki, Finland

e-mail: mikko.pakarinen@hus.fi

tel: +358 50 4272981

fax: +358 9 47175737

Running Head: Predictors of Biliary Atresia Outcomes

Download English Version:

<https://daneshyari.com/en/article/8833867>

Download Persian Version:

<https://daneshyari.com/article/8833867>

[Daneshyari.com](https://daneshyari.com)