Title: Amyloid toxicity is enhanced after pharmacological or genetic invalidation of the σ_1 receptor

Authors: Tangui Maurice, Manon Strehaiano, Fanny Duhr, Nathalie Chevallier

PII: S0166-4328(17)31539-5
DOI: https://doi.org/10.1016/j.bbr.2017.11.010
Reference: BBR 11169

To appear in: *Behavioural Brain Research*

Received date: 14-9-2017
Accepted date: 7-11-2017

Please cite this article as: Maurice Tangui, Strehaiano Manon, Duhr Fanny, Chevallier Nathalie.Amyloid toxicity is enhanced after pharmacological or genetic invalidation of the σ1 receptor.*Behavioural Brain Research* https://doi.org/10.1016/j.bbr.2017.11.010

Amyloid toxicity is enhanced after pharmacological or genetic invalidation of the σ_1 receptor

Tangui Maurice, Manon Strehaiano, Fanny Duhr, Nathalie Chevallier

MMDN, Univ. Montpellier, EPHE, INSERM, UMR-S1198, Montpellier, F-34095, France

Correspondence

Dr Tangui Maurice, INSERM UMR-S1198, Université Montpellier, cc 105, place Eugene Bataillon, F-34095 Montpellier cedex 5, France. Email: Tangui. Maurice@umontpellier.fr