


Accepted Manuscript

Title: Antisense oligonucleotide therapy rescues disruptions in organization of exploratory movements associated with Usher syndrome type 1C in mice

Authors: Tia N. Donaldson, Kelsey T. Jennings, Lucia A. Cherep, Adam M. McNeela, Frederic F. Depreux, Francine M. Jodelka, Michelle L. Hastings, Douglas G. Wallace



PII: S0166-4328(17)31421-3
DOI: <https://doi.org/10.1016/j.bbr.2017.10.012>
Reference: BBR 11132

To appear in: *Behavioural Brain Research*

Received date: 30-8-2017
Revised date: 4-10-2017
Accepted date: 12-10-2017

Please cite this article as: Donaldson Tia N, Jennings Kelsey T, Cherep Lucia A, McNeela Adam M, Depreux Frederic F, Jodelka Francine M, Hastings Michelle L, Wallace Douglas G. Antisense oligonucleotide therapy rescues disruptions in organization of exploratory movements associated with Usher syndrome type 1C in mice. *Behavioural Brain Research* <https://doi.org/10.1016/j.bbr.2017.10.012>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Antisense oligonucleotide therapy rescues disruptions in organization of exploratory movements associated with Usher syndrome type 1C in mice

Tia N. Donaldson¹, Kelsey T. Jennings¹, Lucia A. Cherep¹, Adam M. McNeela¹,
Frederic F. Depreux², Francine M. Jodelka², Michelle L. Hastings², Douglas G. Wallace¹

¹Northern Illinois University, Department of Psychology, DeKalb IL 60115

²The Chicago Medical School, Rosalind Franklin University of Medicine and Science,
Department of Cell Biology and Anatomy, North Chicago IL 60064

Correspondence to:

Douglas G. Wallace

Psychology Department

Northern Illinois University

De Kalb, IL 60115-2892

E-mail: dwallace@niu.edu

Fax: (815)-753-8088

Highlights

- Mice use self-movement and environmental cues to organize exploratory movements.
- Usher mice exhibit specific disruptions in exploratory movement organization.
- ASO-29 treatment at postnatal day five attenuate these disruptions at two and six months testing sessions.

Download English Version:

<https://daneshyari.com/en/article/8837990>

Download Persian Version:

<https://daneshyari.com/article/8837990>

[Daneshyari.com](https://daneshyari.com)