## Accepted Manuscript

Title: The Kv7/KCNQ channel blocker XE991 protects nigral dopaminergic neurons in the 6-hydroxydopamine rat model of Parkinson's disease

Authors: Haixia Liu, Lu Jia, Xiaoyan Chen, Limin Shi, Junxia

Xie

PII: S0361-9230(17)30466-5

DOI: https://doi.org/10.1016/j.brainresbull.2017.11.011


Reference: BRB 9328

To appear in: Brain Research Bulletin

Received date: 9-8-2017 Revised date: 11-11-2017 Accepted date: 18-11-2017

Please cite this article as: Haixia Liu, Lu Jia, Xiaoyan Chen, Limin Shi, Junxia Xie, The Kv7/KCNQ channel blocker XE991 protects nigral dopaminergic neurons in the 6-hydroxydopamine rat model of Parkinson's disease, Brain Research Bulletin https://doi.org/10.1016/j.brainresbull.2017.11.011

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## ACCEPTED MANUSCRIPT

The Kv7/KCNQ channel blocker XE991 protects nigral dopaminergic neurons in the 6-hydroxydopamine rat model of Parkinson's disease

Haixia Liu<sup>1</sup>, Lu Jia<sup>1</sup>, Xiaoyan Chen, Limin Shi\*, Junxia Xie<sup>\*</sup>

Collaborative Innovation Center for Brain Science, Department of Physiology, Shandong Provincial Collaborative Innovation Center for Neurodegenerative Disorders, Key Laboratory of Pathogenesis and Prevention of Neurological Disorders, Medical college of Qingdao University, 266071, China.

\*Correspondence and requests for materials should be addressed to Limin Shi (slm0532@163.com), or Junxia Xie (jxiaxie@public.qd.sd.cn)

Tel: +86-532-8595891

<sup>1</sup> These authors contributed equally to this work.

### **Highlights**

- KCNQ channel inhibition exerts neuroprotective effects in Parkinson's disease rat model.
- KCNQ channel inhibition attenuates 6-OHDA-induced motor dysfunction.
- KCNQ channel is a possible therapeutic target in Parkinson's disease

#### Download English Version:

# https://daneshyari.com/en/article/8838990

Download Persian Version:

https://daneshyari.com/article/8838990

**Daneshyari.com**