## Accepted Manuscript

A standardized and automated method of perineuronal net analysis using *Wisteria floribunda* agglutinin staining intensity

Megan L. Slaker, John H. Harkness, Barbara A. Sorg

PII: S2451-8301(16)30013-9

DOI: 10.1016/j.ibror.2016.10.001

Reference: IBROR 6

To appear in: IBRO Reports


Received Date: 5 September 2016

Revised Date: 1 October 2016

Accepted Date: 1 October 2016

Please cite this article as: Slaker, M.L., Harkness, J.H., Sorg, B.A., A standardized and automated method of perineuronal net analysis using *Wisteria floribunda* agglutinin staining intensity, *IBRO Reports* (2016), doi: 10.1016/j.ibror.2016.10.001.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## A standardized and automated method of perineuronal net analysis using *Wisteria floribunda* agglutinin staining intensity

Megan L. Slaker, John H. Harkness, and Barbara A. Sorg Department of Integrative Physiology and Neuroscience, Washington State University, Vancouver, WA, 98686

Correspondence:

Barbara A. Sorg Department of Integrative Physiology and Neuroscience Translational Addiction Research Center Washington State University 14204 NE Salmon Creek Ave, Vancouver, WA 98686 sorg@vetmed.wsu.edu

The authors declare no conflicts of interest.

Abstract

Download English Version:

https://daneshyari.com/en/article/8839106

Download Persian Version:

https://daneshyari.com/article/8839106

Daneshyari.com