

# Accepted Manuscript

Research report

Transgenerational blunting of morphine-induced corticosterone secretion is associated with dysregulated gene expression in male offspring.

Fair M. Vassoler, Anika M. Toorie, Elizabeth M. Byrnes

PII: S0006-8993(17)30499-7

DOI: <https://doi.org/10.1016/j.brainres.2017.11.004>

Reference: BRES 45552

To appear in: *Brain Research*


Received Date: 5 July 2017

Revised Date: 23 October 2017

Accepted Date: 6 November 2017

Please cite this article as: F.M. Vassoler, A.M. Toorie, E.M. Byrnes, Transgenerational blunting of morphine-induced corticosterone secretion is associated with dysregulated gene expression in male offspring., *Brain Research* (2017), doi: <https://doi.org/10.1016/j.brainres.2017.11.004>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Transgenerational blunting of morphine-induced corticosterone secretion is associated with dysregulated gene expression in male offspring.

Fair M. Vassoler, Anika M. Toorie, Elizabeth M. Byrnes  
Cummings School of Veterinary Medicine  
Tufts University

\*Fair M. Vassoler  
Assistant Professor  
Biomedical Sciences  
Section of Neuroscience  
Cummings School of Veterinary Medicine  
Tufts University  
North Grafton, MA 01536

\*corresponding author

Download English Version:

<https://daneshyari.com/en/article/8839929>

Download Persian Version:

<https://daneshyari.com/article/8839929>

[Daneshyari.com](https://daneshyari.com)