## Accepted Manuscript

Title: Automated Detection of Electroencephalography Artifacts in Human, Rodent and Canine Subjects using Machine Learning

Authors: Joshua Levitt, Adam Nitenson, Suguru Koyama, Lonne Heijmans, James Curry, Jason T. Ross, Steven Kamerling, Carl Y Saab

PII: S0165-0270(18)30193-6

DOI: https://doi.org/10.1016/j.jneumeth.2018.06.014

Reference: NSM 8036

To appear in: Journal of Neuroscience Methods

Received date: 18-6-2018 Accepted date: 19-6-2018

Please cite this article as: Levitt J, Nitenson A, Koyama S, Heijmans L, Curry J, Ross JT, Kamerling S, Saab CY, Automated Detection of Electroencephalography Artifacts in Human, Rodent and Canine Subjects using Machine Learning, *Journal of Neuroscience Methods* (2018), https://doi.org/10.1016/j.jneumeth.2018.06.014

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## ACCEPTED MANUSCRIPT

Journal: Journal of Neuroscience Methods

Title: Automated Detection of Electroencephalography Artifacts in Human, Rodent and Canine Subjects using Machine Learning

**Authors:** Levitt, Joshua<sup>ab</sup>; Nitenson, Adam<sup>b</sup>; Koyama, Suguru<sup>cab</sup>; Lonne Heijmans<sup>ab</sup>; Curry, James<sup>d</sup>; Ross, Jason T.<sup>d</sup> and Kamerling, Steven<sup>d</sup> Saab, Carl Y;\*<sup>ab</sup>

<sup>a</sup>Department of Neurosurgery, Rhode Island Hospital, and Department of Neuroscience, Brown University, Providence, RI, USA

<sup>b</sup>Department of Neuroscience, Brown University, Providence, RI, USA

<sup>c</sup>Laboratory for Pharmacology, Asahi KASEI Pharma Corporation, Shizuoka, Japan

<sup>d</sup>Global Therapeutics Research, Zoetis, Inc., Kalamazoo, MI USA

\* Corresponding Author:

593 Eddy Street, Aldrich 402, Providence, RI 02903

Email: Carl Saab@Brown.edu

Phone: (401) 444-4290

#### Highlights:

- EEG artifacts, if not properly and objectively detected, can confound statistical analysis of quantitative EEG.
- We developed a fully-automated method for detecting EEG artifacts in humans, rodents, and canines using a Support Vector Machine (SVM) approach.
- The method detects several artifact features across species with high accuracy.

### Download English Version:

# https://daneshyari.com/en/article/8840226

Download Persian Version:

https://daneshyari.com/article/8840226

<u>Daneshyari.com</u>