

Accepted Manuscript

Research Article

Grafted miniature-swine neural stem cells of early embryonic mesencephalic neuroepithelial origin can repair the damaged neural circuitry of Parkinson's disease model rats

Yutaka Mine, Toshihiko Momiyama, Takuro Hayashi, Takeshi Kawase

PII: S0306-4522(18)30418-4

DOI: <https://doi.org/10.1016/j.neuroscience.2018.06.007>

Reference: NSC 18496


To appear in: *Neuroscience*

Received Date: 18 November 2017

Accepted Date: 4 June 2018

Please cite this article as: Y. Mine, T. Momiyama, T. Hayashi, T. Kawase, Grafted miniature-swine neural stem cells of early embryonic mesencephalic neuroepithelial origin can repair the damaged neural circuitry of Parkinson's disease model rats, *Neuroscience* (2018), doi: <https://doi.org/10.1016/j.neuroscience.2018.06.007>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Grafted miniature-swine neural stem cells of early embryonic mesencephalic neuroepithelial origin can repair the damaged neural circuitry of Parkinson's disease model rats.

Abbreviated Title: Mini-swine M-NESCs ameliorate parkinsonian model rats

Keywords: neural transplantation, neuroepithelial stem cells, xenograft, neural repair, patch-clamp

Yutaka Mine¹⁻⁴, Toshihiko Momiyama^{5,6}, Takuro Hayashi^{3,7} and Takeshi Kawase³

1. Department of Neurosurgery and Endovascular Surgery, Brain Nerve Center, Saiseikai Yokohamashi Tobu Hospital, Yokohama 230-8765, Japan
2. Department of Physiology, Keio University School of Medicine, Tokyo 160-8582, Japan
3. Department of Neurosurgery, Keio University School of Medicine, Tokyo 160-8582, Japan
4. Department of Clinical Research, Tochigi Medical Center, National Hospital Organization, Utsunomiya 320-8580, Japan
5. Division of Cerebral structure, National Institute for Physiological Sciences, Okazaki 444-8787, Japan
6. Department of Pharmacology, Jikei University School of Medicine, Tokyo 105-8461, Japan
7. Department of Neurosurgery, Tokyo Medical Center, National Hospital Organization, Tokyo 152-8902, Japan

Correspondence should be addressed to Toshihiko Momiyama M.D., Ph.D.

Department of Pharmacology, Jikei University School of Medicine, 3-25-8, Nishi-Shinbashi, Minato-ku, Tokyo 105-8461, Japan

E-mail : tmomi@jikei.ac.jp TEL : +81-3-3433-1111 ext.2250 FAX : +81-3-5473-1428

Number of figures and tables: 8 figures & 2 tables

Download English Version:

<https://daneshyari.com/en/article/8840573>

Download Persian Version:

<https://daneshyari.com/article/8840573>

[Daneshyari.com](https://daneshyari.com)