Accepted Manuscript



Research Article

Synaptic mitochondria are more susceptible to traumatic brain injury-induced oxidative damage and respiratory dysfunction than non-synaptic mitochondria

Rachel L. Hill, Jacqueline R. Kulbe, Indrapal N. Singh, Juan A. Wang, Edward D. Hall

PII: S0306-4522(18)30439-1
DOI: https://doi.org/10.1016/j.neuroscience.2018.06.028
Reference: NSC 18517

To appear in: *Neuroscience*

Received Date: 7 November 2017
Accepted Date: 18 June 2018

Please cite this article as: R.L. Hill, J.R. Kulbe, I.N. Singh, J.A. Wang, E.D. Hall, Synaptic mitochondria are more susceptible to traumatic brain injury-induced oxidative damage and respiratory dysfunction than non-synaptic mitochondria, *Neuroscience* (2018), doi: https://doi.org/10.1016/j.neuroscience.2018.06.028

SYNAPTIC MITOCHONDRIA ARE MORE SUSCEPTIBLE TO TRAUMATIC BRAIN INJURY-INDUCED OXIDATIVE DAMAGE AND RESPIRATORY DYSFUNCTION THAN NON-SYNAPTIC MITOCHONDRIA

Rachel L. Hill[1], Jacqueline R. Kulbe[1,2], Indrapal N. Singh [1,2], Juan A. Wang[1] and Edward D. Hall[1,2]

[1]Spinal Cord and Brain Injury Research Center (SCoBIRC)
and
[2]Department of Neuroscience
University of Kentucky College of Medicine
741 S. Limestone St
Lexington, KY 40536-0509

Running title: Synaptic & non-synaptic mitochondria post-TBI

Manuscript Correspondence:
Edward D. Hall, Ph.D.
William R. Markesbery, M.D. Chair in Neurotrauma Research
Spinal Cord & Brain Injury Research Center (SCoBIRC)
Professor of Neuroscience, Neurosurgery, and
Neurology and Physical Medicine & Rehabilitation
University of Kentucky Medical Center
741 S. Limestone St.
Lexington, KY 40536-0509
859-323-4678 (office)
859-257-5737 (fax)
edhall@uky.edu