Accepted Manuscript



Research Article

Short-term heat exposure promotes hippocampal neurogenesis via activation of angiotensin II type 1 receptor in adult rats

Yuka Koyama, Takao Mukuda, Sawako Hamasaki, Hironobu Nakane, Toshiyuki Kaidoh

PII: S0306-4522(18)30395-6
DOI: https://doi.org/10.1016/j.neuroscience.2018.05.045
Reference: NSC 18482

To appear in: *Neuroscience*

Received Date: 6 March 2018
Accepted Date: 30 May 2018

Please cite this article as: Y. Koyama, T. Mukuda, S. Hamasaki, H. Nakane, T. Kaidoh, Short-term heat exposure promotes hippocampal neurogenesis via activation of angiotensin II type 1 receptor in adult rats, *Neuroscience* (2018), doi: https://doi.org/10.1016/j.neuroscience.2018.05.045

Short-term heat exposure promotes hippocampal neurogenesis via activation of angiotensin II type 1 receptor in adult rats

Yuka Koyama, Takao Mukuda*, Sawako Hamasaki, Hironobu Nakane, Toshiyuki Kaidoh

Department of Anatomy, Faculty of Medicine, Tottori University

86 Nishi-cho, Yonago 683-8503, Japan

*Corresponding author

Takao Mukuda, Ph.D.
ORCID iD: 0000-0002-4764-7296
Email: mtakao@med.tottori-u.ac.jp
Phone: +81-859-38-6023
FAX: +81-859-38-6020

Competing interests: none