

Title: Inter-session reliability of short-interval intracortical inhibition measured by threshold tracking TMS

Authors: José Manuel Matamala, James Howells, Thanuja Dharmadasa, Terry Trinh, Yan Ma, Lydia Lera, Steve Vucic, David Burke, Matthew C. Kiernan

PII: S0304-3940(18)30154-X
DOI: https://doi.org/10.1016/j.neulet.2018.02.065
Reference: NSL 33457

To appear in: *Neuroscience Letters*

Received date: 3-2-2018
Revised date: 28-2-2018
Accepted date: 28-2-2018

Please cite this article as: José Manuel Matamala, James Howells, Thanuja Dharmadasa, Terry Trinh, Yan Ma, Lydia Lera, Steve Vucic, David Burke, Matthew C.Kiernan, Inter-session reliability of short-interval intracortical inhibition measured by threshold tracking TMS, Neuroscience Letters https://doi.org/10.1016/j.neulet.2018.02.065

Inter-session reliability of short-interval intracortical inhibition measured by threshold tracking TMS

Abbreviated title: Reliability of short-interval intracortical inhibition.

José Manuel Matamala[aδ*], James Howells[aδ], Thanuja Dharmadasa[a], Terry Trinh[a], Yan Ma[a], Lydia Lera[b], Steve Vucic[a,c], David Burke[d,e], Matthew C. Kiernan[a,d,e].

[a] Brain and Mind Centre, University of Sydney, Sydney, NSW 2050, Australia.

[b] Institute of Nutrition and Food Technology, University of Chile, Santiago, 7830490, Chile.

[c] Western Clinical School, University of Sydney, Sydney, NSW 2145, Australia.

[d] Sydney Medical School, University of Sydney, Sydney, NSW 2006, Australia.

[e] Department of Neurology, Royal Prince Alfred Hospital, Sydney, NSW 2050, Australia.

[δ] These authors contributed equally to this work.

[*] **Correspondence to:**

José Manuel Matamala (MD, PhD)

Brain and Mind Centre, The University of Sydney

94 Mallett Street, Camperdown, Sydney, NSW 2050, Australia

E-mail: jose.matamalacapponi@sydney.edu.au

Highlights

- Absolute and relative reliability of SICI using TT-TMS was determined.
- TT-TMS measures were less variable when tests were undertaken at the same time of day.
- Averaged SICI is the most reproducible TT-TMS variable, and has an excellent ICC.