


Accepted Manuscript

Title: Dissociation of blood-brain barrier disruption and disease manifestation in an aquaporin-4-deficient mouse model of amyotrophic lateral sclerosis

Authors: Saori Watanabe-Matsumoto, Yasuhiro Moriwaki, Takashi Okuda, Shinji Ohara, Koji Yamanaka, Yoichiro Abe, Masato Yasui, Hidemi Misawa



PII: S0168-0102(17)30585-0
DOI: <https://doi.org/10.1016/j.neures.2017.11.001>
Reference: NSR 4113

To appear in: *Neuroscience Research*

Received date: 27-9-2017
Revised date: 6-11-2017
Accepted date: 9-11-2017

Please cite this article as: Watanabe-Matsumoto, Saori, Moriwaki, Yasuhiro, Okuda, Takashi, Ohara, Shinji, Yamanaka, Koji, Abe, Yoichiro, Yasui, Masato, Misawa, Hidemi, Dissociation of blood-brain barrier disruption and disease manifestation in an aquaporin-4-deficient mouse model of amyotrophic lateral sclerosis. *Neuroscience Research* <https://doi.org/10.1016/j.neures.2017.11.001>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Dissociation of blood-brain barrier disruption and disease manifestation in an aquaporin-4-deficient mouse model of amyotrophic lateral sclerosis

Saori Watanabe-Matsumoto^a, Yasuhiro Moriwaki^a, Takashi Okuda^a, Shinji Ohara^b, Koji Yamanaka^c, Yoichiro Abe^d, Masato Yasui^d, Hidemi Misawa^{a*}

^aDivision of Pharmacology, Faculty of Pharmacy, Keio University, Tokyo 105-8512, Japan

^bDepartment of Neurology, Matsumoto Medical Center, Chushin-Matsumoto Hospital, Matsumoto 399-0021, Japan

^cDepartment of Neuroscience and Pathobiology, Research Institute of Environmental Medicine, Nagoya University, Nagoya 464-8601, Japan

^dDepartment of Pharmacology, School of Medicine, Keio University, Tokyo 160-8582, Japan

*Corresponding author.

Address: 1-5-30, Shibakoen, Minato-ku, Tokyo 105-8512, Japan.

E-mail: misawa-hd@pha.keio.ac.jp (H. Misawa).

Highlights

- AQP4 overexpression is detected in ALS model mice and patients with ALS
- No aberrant AQP4 localization is observed in other chronic or acute

Download English Version:

<https://daneshyari.com/en/article/8842048>

Download Persian Version:

<https://daneshyari.com/article/8842048>

[Daneshyari.com](https://daneshyari.com)