


Accepted Manuscript

Title: Detecting spinal pyramidal tract of amyotrophic lateral sclerosis patients with diffusion tensor tractography

Authors: Yusuke Fukui, Nozomi Hishikawa, Kota Sato, Yumiko Nakano, Ryuta Morihara, Jingwei Shang, Mami Takemoto, Yasuyuki Ohta, Toru Yamashita, Koji Abe



PII: S0168-0102(17)30531-X
DOI: <https://doi.org/10.1016/j.neures.2017.11.005>
Reference: NSR 4117

To appear in: *Neuroscience Research*

Received date: 24-8-2017
Revised date: 13-11-2017
Accepted date: 17-11-2017

Please cite this article as: Fukui, Yusuke, Hishikawa, Nozomi, Sato, Kota, Nakano, Yumiko, Morihara, Ryuta, Shang, Jingwei, Takemoto, Mami, Ohta, Yasuyuki, Yamashita, Toru, Abe, Koji, Detecting spinal pyramidal tract of amyotrophic lateral sclerosis patients with diffusion tensor tractography. *Neuroscience Research* <https://doi.org/10.1016/j.neures.2017.11.005>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Detecting spinal pyramidal tract of amyotrophic lateral sclerosis patients with diffusion tensor tractography

Yusuke Fukui, Nozomi Hishikawa, Kota Sato, Yumiko Nakano, Ryuta Morihara, Jingwei Shang, Mami Takemoto, Yasuyuki Ohta, Toru Yamashita, and Koji Abe*

Department of Neurology, Graduate School of Medicine, Dentistry and Pharmaceutical Sciences, Okayama University, 2-5-1 Shikatacho, Kitaku, Okayama 700-8558, Japan

***Corresponding author:** Prof. Koji Abe

Department of Neurology, Okayama University Graduate School of Medicine, Dentistry and Pharmacy, 2-5-1 Shikata-cho, Okayama 700-8558, Japan.

Tel.: +81-86-235-7365, Fax: +81-86-235-7368, E-mail: peer1tcc@s.okayama-u.ac.jp

Highlights

- We evaluated the cervical fiber tracts reconstructed as DTI tracking images.
- The FA values of ALS-total and ALS-limb patients were significantly reduced.
- In ALS patients, rates of disease progression were negatively correlated with FA.
- The rates of disease progression were also positively correlated with CMCT.

Download English Version:

<https://daneshyari.com/en/article/8842049>

Download Persian Version:

<https://daneshyari.com/article/8842049>

[Daneshyari.com](https://daneshyari.com)