

Accepted Manuscript

Impact of SNR, masker type and noise reduction processing on sentence recognition performance and listening effort as indicated by the pupil dilation response

Barbara Ohlenforst, Dorothea Wendt, Sophia E. Kramer, Graham Naylor, Adriana A. Zekveld, Thomas Lunner



PII: S0378-5955(17)30459-8

DOI: [10.1016/j.heares.2018.05.003](https://doi.org/10.1016/j.heares.2018.05.003)

Reference: HEARES 7551

To appear in: *Hearing Research*

Received Date: 19 September 2017

Revised Date: 1 May 2018

Accepted Date: 3 May 2018

Please cite this article as: Ohlenforst, B., Wendt, D., Kramer, S.E., Naylor, G., Zekveld, A.A., Lunner, T., Impact of SNR, masker type and noise reduction processing on sentence recognition performance and listening effort as indicated by the pupil dilation response, *Hearing Research* (2018), doi: 10.1016/j.heares.2018.05.003.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Impact of SNR, masker type and noise reduction processing on sentence recognition performance
and listening effort as indicated by the pupil dilation response**

Barbara Ohlenforst^{1,4}, Dorothea Wendt^{4,5}, Sophia E. Kramer¹, Graham Naylor⁶, Adriana A. Zekveld^{1,2,3},
Thomas Lunner^{2,3,4,5}

¹Section Ear & Hearing, Dept. of Otolaryngology-Head and Neck Surgery, VU University Medical
Center and Amsterdam Public Health Research Institute, Amsterdam, The Netherlands;

²Department of Behavioral Sciences and Learning, Linköping University, Sweden;

³Linnaeus Centre HEAD, The Swedish Institute for Disability Research, Linköping and Örebro
Universities, Sweden;

⁴Eriksholm Research Center, Oticon A/S, Denmark;

⁵Department of Electrical Engineering, Technical University of Denmark, Denmark;

⁶MRC/CSO Institute of Hearing Research, Scottish Section, Glasgow, United Kingdom. Part of the
University of Nottingham.

Received, 2017

This work was supported by grants from the European Commission (FP7-LISTEN607373) and the Oticon
Foundation.

Corresponding author: Barbara Ohlenforst,

Section Ear & Hearing, Dept. of Otolaryngology-Head and Neck Surgery, VU University Medical Center and
Amsterdam Public Health Research Institute, Amsterdam, The Netherlands; P.O. Box 7057, 1007 MB, Phone:
+31 20 4440952; Fax: +3120 444 2033

Eriksholm Research Centre, Rørtangvej 20, 3070 Snekkersten, Denmark;

E-mail: b.ohlenforst@vumc.nl; Phone: 0045-48298900 Fax: 0045-49223629

Download English Version:

<https://daneshyari.com/en/article/8842340>

Download Persian Version:

<https://daneshyari.com/article/8842340>

[Daneshyari.com](https://daneshyari.com)