


Accepted Manuscript

Title: Factors determining hybridization rate in plants: a case study in Michigan

Authors: Ian Beddows, Laura Rose

PII: S1433-8319(17)30149-X
DOI: <https://doi.org/10.1016/j.ppees.2018.07.003>
Reference: PPEES 25417



To appear in:

Received date: 18-8-2017
Revised date: 26-6-2018
Accepted date: 19-7-2018

Please cite this article as: Beddows I, Rose L, Factors determining hybridization rate in plants: a case study in Michigan, *Perspectives in Plant Ecology, Evolution and Systematics* (2018), <https://doi.org/10.1016/j.ppees.2018.07.003>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Factors determining hybridization rate in plants: a case study in Michigan.

Ian Beddows^{1,2,3} and Laura Rose^{1,2,4}

¹Institute of Population Genetics,

²International Graduate School in Plant Sciences (iGRAD-Plant),
Heinrich Heine University, Universitätsstrasse 1, 40225 Düsseldorf, Germany

³Van Andel Institute, 333 Bostwick Ave NE, Grand Rapids, MI, USA

⁴Cluster of Excellence on Plant Sciences (CEPLAS),
Heinrich Heine University, Universitätsstrasse 1, 40225 Düsseldorf, Germany

Author for correspondence:

Ian Beddows

Tel: +1 616 234 8241

Email: ian.beddows@vai.org

Word count: Abstract 183, Introduction 876, Materials and Methods 1032, Results 1108, Discussion 2236, Conclusions 94, Acknowledgements 60, Total 5589.

Number of figures: 5

Number of tables: 6

Number of Supporting Information files: 1 (Supplemental Figure 1-3; Supplemental Tables 1, 2 and 4). Supplemental Table 3 online only.

Highlights

- First quantitative study to test the association of hybridization rate and various ecological and physiological factors.
- Nearly one fifth of vascular plant species hybridize
- Hybridization rates differ between life forms
- 97% of hybridizing species are perennial – implicates life history as a critical factor in hybridization
- Data implicates habitat disturbance as a critical factor in hybridization
- There are significantly more herbarium collections for hybridizing species – implications for potential bias

Download English Version:

<https://daneshyari.com/en/article/8849474>

Download Persian Version:

<https://daneshyari.com/article/8849474>

[Daneshyari.com](https://daneshyari.com)